


Industrial Castors




Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85"thermoplastic rubber tread, central ball bearing, dark grey samlll plastic thread guards



	-20 / +60°C		4 KM/H
	200 KG		183 MM

Swivel Castor



160



40



80x60



11X9



183



200

Order number

01P1S160D40DTEBA6212

Fixed Castor Nwith Front Lock



160



40



105X80



80x60



11X9



183



200


Order number

01P1F/FB160D40DTEBA6212

High Temperature Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with prcision ball bearing
Wheel: black polyamide 6 wheel centre, high temperature rubber tyre, plain bore



-20 / +60°C

4 KM/H

80 KG

130 MM

Swivel Castor




								Order number
100	36	105x80	80x60	9	40	130	80	04P1S100C36CHPPX4012

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swviel head
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

180 - 230 KG

128 - 155 MM

Swivel Castor



								Order number
100	36	135x110	105x80	13.5x11	45	128	180	06P1S100A36CEPDX4015
125	36	135x110	105x80	13.5x11	48	155	230	06P1S125A36CEPDX5015
125	36	135x110	105x80	13.5x11	48	155	230	06P1S/S125A36CEPDX5015

Fixed Castor



							Order number
100	36	135x110	105x80	13.5x11	128	180	06P1F100A36CEPD4015
125	36	135x110	105x80	13.5x11	155	230	06P1F125A36CEPD5015
125	36	135x110	105x80	13.5x11	155	230	06P1F/S125A36CEPD5015

Swivel Castor With Total Lock




								Order number
100	36	135x110	105x80	13.5x11	45	137	180	06P1TB100A36CEPDX4015
125	36	135x110	105x80	13.5x11	48	137	230	06P1TB125A36CEPDX5015
125	36	135x110	105x80	13.5x11	48	137	230	06P1TB/S125A36CEPDX5015

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

180 - 230 KG

128 - 155 MM

Swivel Castor With Bolt Hole

							Order number
	100	36	45	φ16	128	180	06H1S100A36CEPDX4015
	125	36	48	φ16	155	230	06H1S125A36CEPDX5015
	125	36	48	φ16	155	230	06H1S/S125A36CEPDX5015


Swivel Castor With Bolt Hole And Total Lock

							Order number
	100	36	45	φ16	137	128	06H1TB100A36CEPDX4015
	125	36	48	φ16	137	155	06H1TB125A36CEPDX5015
	125	36	48	φ16	137	155	06H1TB/S125A36CEPDX5015

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

200 - 250 KG

128 - 155 MM

Swivel Castor

							Order number
	100	40	135x110	105x80	13.5x11	45	06P1S100C40JEADX4015
	125	40	135x110	105x80	13.5x11	48	06P1S125C40JEADX5015
	125	40	135x110	105x80	13.5x11	48	06P1S/S125C40JEADX5015

Fixed Castor

							Order number
	100	40	135x110	105x80	13.5x11	128	06P1F100C40JEADX4015
	125	40	135x110	105x80	13.5x11	155	06P1F125C40JEADX5015
	125	40		105x80	13.5x11	155	06P1F/S125C40JEADX5015


Swivel Castor With Total Lock

							Order number
	100	40	135x110	105x80	13.5x11	45	06P1TB100C40JEADX4015
	125	40	135x110	105x80	13.5x11	48	06P1TB125C40JEADX5015
	125	40	135x110	105x80	13.5x11	48	06P1TB/S125C40JEADX5015

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

200 - 250 KG

128 - 155 MM

Swivel Castor With Bolt Hole

							Order number
	100	40	45	φ16	128	200	06H1S100C40JEADX4015
	125	40	48	φ16	155	250	06H1S125C40JEADX5015
	125	40	48	φ16	155	250	06H1S/S125C40JEADX5015

Swivel Castor With Bolt Hole And Total Lock

							Order number	
	100	40	45	φ16	137	128	200	06H1TB100C40JEADX4015
	100	40	48	φ16	137	155	250	06H1TB125C40JEADX5015
	125	40	48	φ16	137	155	250	06H1TB/S125C40JEADX5015


Swivel Castor With Directional Lock

									Order number
	100	36	135x110	105x80	13.5x11	45	171	128	200

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 92 brown polyurethane tread, two ball bearings



-20 / +60°C

4 KM/H

250 - 300 KG

128 - 155 MM

Swivel Castor

								Order number	
	100	38	135x110	105x80	13.5x11	45	128	250	06P1S100K38JUADX5015
	125	38	135x110	105x80	13.5x11	48	155	300	06P1S125K38JUADX5015
	125	38	135x110	105x80	13.5x11	48	155	300	06P1S/S125K38JUADX5015

Fixed Castor

								Order number
	100	38	135x110	105x80	13.5x11	128	250	061F100K38JUADX5015
	125	38	135x110	105x80	13.5x11	155	300	06P1F125K38JUADX5015
	125	38		105x80	13.5x11	155	300	06P1F/S125K38JUADX5015

Swivel Castor With Total Lock



         <th>Order number</th>	Order number								
100	38	135x110	105x80	13.5x11	45	137	128	250	06P1TB100K38JUADX5015
125	38	135x110	105x80	13.5x11	48	137	155	300	06P1TB125K38JUADX5015
125	38	135x110	105x80	13.5x11	48	137	155	300	06P1TB/S125K38JUADX5015

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated
double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 92 brown polyurethane tread, two ball bearings



Swivel Castor With Bolt Hole

							Order number
	100	38	45	φ16	128	250	06H1S100K38JUADX5015
	125	38	48	φ16	155	300	06H1S125K38JUADX5015
	125	38	48	φ16	155	300	06H1S/S125K38JUADX5015


Swivel Castor With Bolt Hole And Total Lock

								Order number
	100	38	45	φ16	137	128	250	06H1TB100K38JUADX5015
	100	38	48	φ16	137	155	300	06H1TB125K38JUADX5015
	125	38	48	φ16	137	155	300	06H1TB/S125K38JUADX5015

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated
double ball race, sealed in the swivel head
Wheel: black casting-iron wheel centre shore a 92 brown polyurethane tread, two ball bearings



Swivel Castor

									Order number
	100	38	135x110	105x80	13.5x11	45	128	300	06P1S100K38CUIDX4515
	125	38	135x110	105x80	13.5x11	48	155	350	06P1S125K38CUIDX4515
	125	38	135x110	105x80	13.5x11	48	155	350	06P1S/S125K38JUADX4515

Fixed Castor

								Order number
	100	38	135x110	105x80	13.5x11	128	300	06P1F100K38CUIDX4515
	125	38	135x110	105x80	13.5x11	155	350	06P1F125K38CUIDX4515
	125	38		105x80	13.5x11	155	350	06P1F/S125K38CUIDX4515


Swivel Castor With Total Lock

										Order number
	100	38	135x110	105x80	13.5x11	45	137	128	300	06P1TB100K38CUIDX4515
	125	38	135x110	105x80	13.5x11	48	137	155	350	06P1TB125K38CUIDX4515
	125	38	135x110	105x80	13.5x11	48	137	155	350	06P1TB/S125K38CUIDX4515

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black casting-iron wheel centre shore a 92 brown polyurethane tread, two ball bearings



Swivel Castor With Bolt Hole

							Order number
	100	38	45	φ16	128	300	06H1S100K38CUIDX4515
	125	38	48	φ16	155	350	06H1S125K38CUIDX4515
	125	38	48	φ16	155	350	06H1S/S125K38JUADX4515


Swivel Castor With Bolt Hole And Total Lock

								Order number
	100	38	45	φ16	137	128	300	06H1TB100K38CUIDX4515
	100	38	48	φ16	137	155	350	06H1TB125K38CUIDX4515
	125	38	48	φ16	137	155	350	06H1TB/S125K38CUIDX4515

Green Elastic Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



Swivel Castor

									Order number
	100	40	135x110	105x80	13.5x11	45	128	270	06P1S100H40JUHADX4015
	125	40	135x110	105x80	13.5x11	48	155	310	06P1S125H40JUHADX5015
	125	40	135x110	105x80	13.5x11	48	155	310	06P1S/S125H40JUHADX5015

Fixed Castor

									Order number
	100	40	135x110	105x80	13.5x11	128	270		06P1F100H40JUHADX4015
	125	40	135x110	105x80	13.5x11	155	310		06P1F125H40JUHADX5015
	125	40		105x80	13.5x11	155	310		06P1F/S125H40JUHADX5015


Swivel Castor With Total Lock

										Order number
	100	40	135x110	105x80	13.5x11	45	137	128	270	06P1TB100H40JUHADX4015
	125	40	135x110	105x80	13.5x11	48	137	155	310	06P1TB125H40JUHADX5015
	125	40	135x110	105x80	13.5x11	48	137	155	310	06P1TB/S125H40JUHADX5015

Green Elastic Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



-20 / +60°C

4 KM/H

270 - 310 KG

128 - 155 MM

Swivel Castor With Bolt Hole



						Order number
100	40	45	φ16	128	270	06H1S100H40JUHADX4015
125	40	48	φ16	155	310	06H1S125H40JUHADX5015
125	40	48	φ16	155	310	06H1S/S125H40JUHADX5015

Swivel Castor With Bolt Hole And Total Lock




							Order number
100	40	45	φ16	137	128	270	06H1TB100H40JUHADX4015
100	40	48	φ16	137	155	310	06H1TB125H40JUHADX5015
125	40	48	φ16	137	155	310	06H1TB/S125H40JUHADX5015

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, two ball bearings



-20 / +60°C

4 KM/H

350 - 500 KG

128 - 155 MM

Swivel Castor



								Order number
100	38	135x110	105x80	13.5x11	45	128	350	06P1S100B38BPHDX5015
125	38	135x110	105x80	13.5x11	48	155	350	06P1S125B38BPHDX5015
125	38	135x110	105x80	13.5x11	48	155	500	06P1S/S125B38BPHDX5015

Fixed Castor



							Order number
100	38	135x110	105x80	13.5x11	128	350	06P1F100B38BPHDX5015
125	38	135x110	105x80	13.5x11	155	350	06P1F125B38BPHDX5015
125	38		105x80	13.5x11	155	500	06P1F/S125B38BPHDX5015

Swivel Castor With Total Lock



									Order number
100	38	135x110	105x80	13.5x11	45	137	128	350	06P1TB100B38BPHDX5015
125	38	135x110	105x80	13.5x11	48	137	155	350	06P1TB125B38BPHDX5015
125	38	135x110	105x80	13.5x11	48	137	155	500	06P1TB/S125B38BPHDX5015

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, two ball bearings



Swivel Castor With Bolt Hole

							Order number
	100	38	45	φ16	128	350	06H1S100B38BPHDX5015
	125	38	48	φ16	155	350	06H1S125B38BPHDX5015
	125	38	48	φ16	155	500	06H1S/S125B38BPHDX5015

Swivel Castor With Bolt Hole And Total Lock

								Order number
	100	38	45	φ16	137	128	350	06H1TB100B38BPHDX5015
	100	38	48	φ16	137	155	350	06H1TB125B38BPHDX5015
	125	38	48	φ16	137	155	500	06H1TB/S125B38BPHDX5015


Swivel Castor With Directional Lock

										Order number
	100	38	135x110	105x80	13.5x11	45	171	128	350	06P1DB100B38BPHDX5015

White Injection Polyopylene Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: white injection polyopylene, roller bearing



Swivel Castor

								Order number	
	80	34	105x80	80x60	11x9	36	100	110	07P1S80B34BPPRX4012
	100	36	105x80	80x60	11x9	36	125	130	07P1S100B36BPPRX4012
	100	36	105x80	80x60	11x9	36	128	130	07P1S/S100B36BPPRX4012
	125	40	105x80	80x60	11x9	40	155	160	07P1S125B40BPPRX5015
	160	40	135x110	105x80	13.5x11	52	190	250	07P1S160B40BPPRX6020
	200	46	135x110	105x80	13.5x11	54	235	300	07P1S200B46BPPRX6020

Fixed Castor

								Order number
	80	34	102x87	80x60	11x9	100	110	07P1F80B34BPPRX4012
	100	36	102x87	80x60	11x9	125	130	07P1F100B36BPPRX4012
	100	36	102x87	80x60	11x9	128	130	07P1F/S100B36BPPRX4012
	125	40	102x87	80x60	11x9	155	160	07P1F125B40BPPRX5015
	160	40	135x114	105x80	13.5x11	190	250	07P1F160B40BPPRX6020
	200	46	135x114	105x80	13.5x11	235	300	07P1F200B46BPPRX6020


Swivel Castor With Total Lock

										Order number
	80	34	105x80	80x60	11x9	36	129	100	110	07P1TB80B34BPPRX4012
	100	36	105x80	80x60	11x9	40	132	125	130	07P1TB100B36BPPRX4012
	100	36	105x80	80x60	11x9	40	132	128	130	07P1TB/S100B36BPPRX4012
	125	40	105x80	80x60	11x9	40	134	155	160	07P1TB125B40BPPRX5015
	160	40	135x110	105x80	13.5x11	60	203	190	250	07P1TB160B40BPPRX6020
	200	46	135x110	105x80	13.5x11	60	203	235	300	07P1TB200B46BPPRX6020

White Injection Polyopylene Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: white injection polyopylene, roller bearing



Swivel Castor With Bolt Hole

							Order number
	80	34	36	φ10.5/φ13	99	110	07H1S80B34BPPRX4012
	100	36	36	φ10.5/φ13	124	130	07H1S100B36BPPRX4012
	100	36	36	φ10.5/φ13	124	130	07H1S/S100B36BPPRX4012
	125	40	36	φ10.5/φ13	154	160	07H1S125B36BPPRX5015
	160	40	52	φ16	185	250	07H1S160B40BPPRX6020
	200	46	54	φ16	230	300	07H1S200B46BPPRX6020

Swivel Castor With Bolt Hole And Total Lock

								Order number
	80	34	36	φ10.5/φ13	129	99	110	07H1TB80B34BPPRX4012
	100	36	40	φ10.5/φ13	132	124	130	07H1TB100B36BPPRX4012
	100	36	40	φ10.5/φ13	132	124	130	07H1TB/S100B36BPPRX4012
	125	40	40	φ10.5/φ13	134	154	160	07H1TB125B36BPPRX5015
	160	40	60	φ16	203	185	250	07H1TB160B40BPPRX6020
	200	40	60	φ16	203	230	300	07H1TB200B46BPPRX6020


Swivel Castor With Front Lock

										Order number
160	40	135x110	105x80	13.5x11	52	154	190	250	07P1FB160B40BPPRX6020	
200	46	135x110	105x80	13.5x11	54	154	235	300	07P1FB200B46BPPRX6020	

White Injection Polyopylene Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: white injection polyopylene, roller bearing



Swivel Castor With Directional Lock

										Order number
	80	34	105x80	80x60	11x9	36	145	100	110	07P1DB80B34BPPRX4012
	100	36	105x80	80x60	11x9	36	145	125	130	07P1DB100B36BPPRX4012
	100	36	105x80	80x60	11x9	36	145	125	130	07P1DB/S100B36BPPRX4012

Swivel Castor With Directional Lock

									Order number
	160	40	135x110	105x80	13.5x11	52	190	250	07P1DB160B40BPPRX6020
	200	46	135x110	105x80	13.5x11	54	235	300	07P1DB200B46BPPRX6020

Swivel Castor With Central Lock

									Order number
160	40	135x110	105x80	13.5x11	52	156	190	250	07P1CBB160B40BPPRX6020
200	46	135x110	105x80	13.5x11	54	156	235	300	07P1CBB200B46BPPRX6020


Fixed Castor With Front Lock

								Order number
	160	40	135x114	105x80	13.5x11	195	250	07P1F/FB160B40BPPRX6020

White Injection Polyopylene Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: white injection polyopylene, central ball bearing, blue samll plastic thread guards



-20 / +60°C

4 KM/H

110 - 160 KG

100 - 155 MM

Swivel Castor

								Order number	
	80	34	105x80	80x60	11x9	36	100	110	07P1S80B34BPPBA428
	100	36	105x80	80x60	11x9	36	125	130	07P1S100B36BPPBA428
	100	36	105x80	80x60	11x9	36	128	130	07P1S/S100B36BPPBA428
	125	40	105x80	80x60	11x9	40	155	160	07P1S125B40BPPBA5210

Fixed Castor

								Order number
	80	34	102x87	80x60	11x9	100	110	07P1F80B34BPPBA428
	100	36	102x87	80x60	11x9	125	130	07P1F100B36BPPBA428
	100	36	102x87	80x60	11x9	128	130	07P1F/S100B36BPPBA428
	125	40	102x87	80x60	11x9	155	160	07P1F125B40BPPBA5210


Swivel Castor With Total Lock

									Order number
80	34	105x80	80x60	11x9	36	129	100	110	07P1TB80B34BPPBA428
100	36	105x80	80x60	11x9	40	132	125	130	07P1TB100B36BPPBA428
100	36	105x80	80x60	11x9	40	132	125	130	07P1TB/S100B36BPPBA428
125	40	105x80	80x60	11x9	40	134	155	160	07P1TB125B40BPPBA5210

White Injection Polyopylene Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: white injection polyopylene, central ball bearing, blue samll plastic thread guards



-20 / +60°C

4 KM/H

110 - 160 KG

99 - 154 MM

Swivel Castor With Bolt Hole

							Order number
	80	34	36	φ10.5/φ13	99	110	07H1S80B34BPPBA428
	100	36	36	φ10.5/φ13	124	130	07H1S100B36BPPBA428
	100	36	36	φ10.5/φ13	127	130	07H1S/S100B36BPPBA428
	125	40	36	φ10.5/φ13	154	160	07H1S125B40BPPBA5210

Swivel Castor With Bolt Hole And Total Lock


								Order number
	80	34	36	φ10.5/φ13	129	99	110	07H1TB80B34BPPBA428
	100	36	40	φ10.5/φ13	132	124	130	07H1TB100B36BPPBA428
	100	36	40	φ10.5/φ13	132	127	130	07H1TB/S100B36BPPBA428
	125	40	40	φ10.5/φ13	134	154	160	07H1TB125B40BPPBA5210

Black Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: black shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



Swivel Castor

									Order number
	80	30	105x80	80x60	11x9	36	100	50	07P1S80B30BBPRX4012
	100	30	105x80	80x60	11x9	36	125	70	07P1S100B30BBPRX4012
	100	30	105x80	80x60	11x9	36	128	70	07P1S/S100B30BBPRX4012
	125	37.5	105x80	80x60	11x9	36	155	100	07P1S125B37.5BBPRX5015
	160	40	135x110	105x80	13.5x11	52	190	140	07P1S160B40BBPRX6020
	200	50	135x110	105x80	13.5x11	54	235	205	07P1S200B50BBPRX6020
	250	60	135x110	105x80	13.5x11	54	290	295	07P1S250B60BBPRX7520

Fixed Castor

								Order number
	80	30	102x87	80x60	11x9	100	50	07P1F80B34BBPRX4012
	100	30	102x87	80x60	11x9	125	70	07P1F100B30BBPRX4012
	100	30	102x87	80x60	11x9	128	70	07P1F/S100B30BBPRX4012
	125	37.5	102x87	80x60	11x9	155	100	07P1F125B37.5BBPRX5015
	160	40	135x114	105x80	13.5x11	190	140	07P1F160B40BBPRX6020
	200	50	135x114	105x80	13.5x11	235	205	07P1F200B50BBPRX6020
	250	60	135x114	105x80	13.5x11	290	295	07P1F250B60BBPRX7520

Swivel Castor With Total Lock


									Order number	
	80	30	105x80	80x60	11x9	36	129	100	50	07P1TB80B30BBPRX4012
	100	30	105x80	80x60	11x9	40	132	125	70	07P1TB100B30BBPRX4012
	100	30	105x80	80x60	11x9	40	132	128	70	07P1TB/S100B30BBPRX4012
	125	37.5	105x80	80x60	11x9	40	134	155	100	07P1TB125B37.5BBPRX5015
	160	40	135x110	105x80	13.5x11	60	203	190	140	07P1TB160B40BBPRX6020
	200	60	135x110	105x80	13.5x11	60	203	235	295	07P1TB200B60BBPRX7520

Black Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: black shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



Swivel Castor With Bolt Hole

							Order number
	80	30	36	φ10.5/φ13	99	50	07H1S80B30BBPRX4012
	100	30	36	φ10.5/φ13	124	70	07H1S100B30BBPRX4012
	100	30	36	φ10.5/φ13	127	70	07H1S/S100B30BBPRX4012
	125	37.5	36	φ10.5/φ13	154	100	07H1S125B37.5BBPRX5015
	160	40	52	φ16	185	140	07H1S160B40BBPRX6020
	200	50	54	φ16	230	205	07H1S200B50BBPRX6020


Swivel Castor With Bolt Hole And Total Lock

								Order number
	80	30	36	φ10.5/φ13	129	99	50	07H1TB80B30BBPRX4012
	100	30	40	φ10.5/φ13	132	124	70	07H1TB100B30BBPRX4012
	100	30	40	φ10.5/φ13	132	127	70	07H1TB/S100B30BBPRX4012
	125	37.5	40	φ10.5/φ13	134	154	100	07H1TB125B37.5BBPRX5015
	160	40	60	φ16	203	185	140	07H1TB160B40BBPRX6020
	200	50	60	φ16	203	230	205	07H1TB200B50BBPRX6020

Black Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: black shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



-20 / +60°C

4 KM/H

140 - 295 KG

190 - 290 MM

Swivel Castor With Front Lock



									Order number
160	40	135x110	105x80	13.5x11	52	154	190	140	07P1FB160B40BBPRX6020
200	50	135x110	105x80	13.5x11	54	154	235	205	07P1FB200B50BBPRX6020
250	60	135x110	105x80	13.5x11	70	157	290	295	07P1FB250B60BBPRX7520

Swivel Castor With Directional Lock




								Order number
160	40	135x110	105x80	13.5x11	52	190	140	07P1DB160B40BBPRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1DB200B50BBPRX6020

Swivel Castor With Central Lock



									Order number
160	40	135x110	105x80	13.5x11	52	156	190	140	07P1CB160B40BBPRX6020
200	50	135x110	105x80	13.5x11	54	156	235	205	07P1CB200B50BBPRX6020

Fixed Castor With Front Lock




							Order number
160	40	135x114	105x80	13.5x11	195	140	07P1F/FG/FB160B40BBPRX6020

Black Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: black shore a 85+/-3 solid rubber tread, pressed steel wheel centre roller bearing



-20 / +60°C

4 KM/H

50 - 205 KG

100 - 235 MM

Swivel Castor



								Order number
80	30	105x80	80x60	11x9	36	100	50	07P1S80C30JBMRX4012
100	30	105x80	80x60	11x9	36	125	70	07P1S100C30JBMRX4012
100	30	105x80	80x60	11x9	36	128	70	07P1S/S100C30JBMRX4012
125	37.5	105x80	80x60	11x9	36	155	100	07P1S125C37.5JBMRX5015
160	40	135x110	105x80	13.5x11	52	190	140	07P1S160C40JBMRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1S200C50JBMRX6020

Fixed Castor



							Order number
80	30	102x87	80x60	11x9	100	50	07P1F80C30JBMRX4012
100	30	102x87	80x60	11x9	125	70	07P1F100C30JBMRX4012
100	30	102x87	80x60	11x9	128	70	07P1F/S100C30JBMRX4012
125	37.5	102x87	80x60	11x9	155	100	07P1F125C37.5JBMRX5015
160	40	135x114	105x80	13.5x11	190	140	07P1F160C40JBMRX6020
200	50	135x114	105x80	13.5x11	235	205	07P1F200C50JBMRX6020

Swivel Castor With Total Lock




									Order number
80	30	105x80	80x60	11x9	36	129	100	50	07P1TB80C30JBMRX4012
100	30	105x80	80x60	11x9	40	132	125	70	07P1TB100C30JBMRX4012
100	30	105x80	80x60	11x9	40	132	128	70	07P1TB100C30JBMRX4012
125	37.5	105x80	80x60	11x9	40	134	155	100	07P1TB125C37.5JBMRX5015
160	40	135x110	105x80	13.5x11	60	203	190	140	07P1TB160C40JBMRX6020
200	50	135x110	105x80	13.5x11	60	203	235	205	07P1TB200C50JBMRX6020

Black Solid Rubber Industrial Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: black shore a 85+/-3 solid rubber tread, pressed steel wheel centre roller bearing



-20 / +60°C

4 KM/H

50 - 205 KG

99 - 230 MM

Swivel Castor With Bolt Hole



						Order number
80	30	36	φ10.5/φ13	99	50	07H1S80C30JBMRX4012
100	30	36	φ10.5/φ13	124	70	07H1S100C30JBMRX4012
100	30	36	φ10.5/φ13	127	70	07H1S/S100C30JBMRX4012
125	37.5	36	φ10.5/φ13	154	100	07H1S125C37.5JBMRX5015
160	40	52	φ16	185	140	07H1S160C40JBMRX6020
200	50	54	φ16	230	205	07H1S200C50JBNRX6020

Swivel Castor With Bolt Hole And Total Lock




						Order number
80	30	36	φ10.5/φ13	129	99	07H1TB80C30JBMRX4012
100	30	40	φ10.5/φ13	132	70	07H1TB100C30JBMRX4012
100	30	40	φ10.5/φ13	132	70	07H1TB/S100C30JBMRX4012
125	37.5	40	φ10.5/φ13	134	100	07H1TB125C37.5JBMRX5015
160	40	60	φ16	203	140	07H1TB160C40JBMRX6020
200	50	60	φ16	203	205	07H1TB200C50JBNRX6020

Black Solid Rubber Industrial Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: black shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



-20 / +60°C

4 KM/H

140 - 205 KG

190 - 235 MM

Swivel Castor With Front Lock



								Order number
160	40	135x110	105x80	13.5x11	52	190	140	07P1DB160C40JBMRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1DB200C50JBNRX6020

Swivel Castor With Directional Lock



								Order number
160	40	135x110	105x80	13.5x11	52	190	140	07P1FB160C40JBMRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1FB200C50JBNRX6020

Swivel Castor With Central Lock



									Order number
160	40	135x110	105x80	13.5x11	52	156	190	140	07P1CB160C40JBMRX6020
200	50	135x110	105x80	13.5x11	54	156	235	205	07P1CB200C50JBNRX6020

Fixed Castor With Front Lock




							Order number
160	40	135x114	105x80	13.5x11	195	140	07P1F/FB160C40JBMRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



-20 / +60°C

4 KM/H

50 - 295 KG

100 - 290 MM

Swivel Castor

								Order number
	80	30	105x80	80x60	11x9	36	100	07P1S80D30CGPRX4012
	100	30	105x80	80x60	11x9	36	125	07P1S100D30CGPRX4012
	100	30	105x80	80x60	11x9	36	128	07PS/S100D30CGPRX4012
	125	37.5	105x80	80x60	11x9	36	155	07P1S125D37.5CGPRX5015
	160	40	135x110	105x80	13.5x11	52	190	07P1S160D40CGPRX6020
	200	50	135x110	105x80	13.5x11	54	235	07P1S200D50CGPRX6020
	250	60	135x110	105x80	13.5x11	54	290	07P1S250D60CGPRX7520

Fixed Castor

								Order number
	80	30	102x87	80x60	11x9	100	50	07P1F80D30CGPRX4012
	100	30	102x87	80x60	11x9	125	70	07P1F100D30CGPRX4012
	100	30	102x87	80x60	11x9	128	70	07P1F/S100D30CGPRX4012
	125	37.5	102x87	80x60	11x9	155	100	07P1F125D37.5CGPRX5015
	160	40	135x114	105x80	13.5x11	190	140	07P1F160D40CGPRX6020
	200	50	135x114	105x80	13.5x11	235	205	07P1F200D50CGPRX6020
	250	60	135x114	105x80	13.5x11	290	295	07P1F250D60GPRX7520


Swivel Castor With Total Lock

									Order number	
	80	30	105x80	80x60	11x9	36	129	100	50	07P1TB80D30CGPRX4012
	100	30	105x80	80x60	11x9	40	132	125	70	07P1TB100D30CGPRX4012
	100	30	105x80	80x60	11x9	40	132	128	70	07P1TB/S100D30CGPRX4012
	125	37.5	105x80	80x60	11x9	40	134	155	100	07P1TB125D37.5CGPRX5015
	160	40	135x110	105x80	13.5x11	60	203	190	140	07P1TB160D40CGPRX6020
	200	50	135x110	105x80	13.5x11	60	203	235	205	07P1TB200D50CGPRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



-20 / +60°C

4 KM/H

50 - 205 KG

99 - 230 MM

Swivel Castor With Bolt Hole

							Order number
	80	30	36	φ10.5/φ13	99	50	07H1S80D30CGPRX4012
	100	30	36	φ10.5/φ13	124	70	07H1S100D30CGPRX4012
	100	30	36	φ10.5/φ13	127	70	07HS/S100D30CGPRX4012
	125	37.5	36	φ10.5/φ13	154	100	07H1S125D37.5CGPRX5015
	160	40	52	φ16	185	140	07H1S160D40CGPRX6020
	200	50	54	φ16	230	205	07H1S200D50CGPRX6020


Swivel Castor With Bolt Hole And Total Lock

								Order number
	80	30	36	φ10.5/φ13	129	99	50	07H1TB80D30CGPRX4012
	100	30	40	φ10.5/φ13	132	124	70	07H1TB100D30CGPRX4012
	100	30	40	φ10.5/φ13	132	127	70	07H1TB/S100D30CGPRX4012
	125	37.5	40	φ10.5/φ13	134	154	100	07H1TB125D37.5CGPRX5015
	160	40	60	φ16	203	185	140	07H1TB160D40CGPRX6020
	200	50	60	φ16	203	230	205	07H1TB200D50CGPRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



-20 / +60°C

4 KM/H

140 - 205 KG

190 - 235 MM

Swivel Castor With Front Lock

									Order number
	160	40	135x110	105x80	13.5x11	52	190	140	07P1DB160D40CGPRX6020
	200	50	135x110	105x80	13.5x11	54	235	205	07P1DB200D50CGPRX6020

Swivel Castor With Directional Lock

									Order number
	160	40	135x110	105x80	13.5x11	52	190	140	07P1FB160D40CGPRX6020
	200	50	135x110	105x80	13.5x11	54	235	205	07P1FB200D50CGPRX6020

Swivel Castor With Central Lock

									Order number
160	40	135x110	105x80	13.5x11	52	156	190	140	07P1CB160D40CGPRX6020
200	50	135x110	105x80	13.5x11	54	156	235	205	07P1CB200D50CGPRX6020


Fixed Castor With Front Lock

								Order number
	160	40	135x114	105x80	13.5x11	195	140	07P1F/FB160D40CGPRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey 85+/-3 solid rubber tread, pressed steel wheel centre roller bearing



-20 / +60°C

4 KM/H

50 - 205 KG

100 - 235 MM

Swivel Castor

									Order number
	80	30	105x80	80x60	11x9	36	100	50	07P1S80D30JGMRX4012
	100	30	105x80	80x60	11x9	36	125	70	07P1S100D30JGMRX4012
	100	30	105x80	80x60	11x9	36	128	70	07P1S/S100D30JGMRX4012
	125	37.5	105x80	80x60	11x9	36	155	100	07P1S125D37.5JGMRX5015
	160	40	135x110	105x80	13.5x11	52	190	140	07P1S160D40JGMRX6020
	200	50	135x110	105x80	13.5x11	54	235	205	07P1S200D50JGMRX6020

Fixed Castor

								Order number
	80	30	102x87	80x60	11x9	100	50	07P1F80D30JGMRX4012
	100	30	102x87	80x60	11x9	125	70	07P1F100D30JGMRX4012
	100	30	102x87	80x60	11x9	128	70	07P1F/S100D30JGMRX4012
	125	37.5	102x87	80x60	11x9	155	100	07P1F125D37.5JGMRX6020
	160	40	135x114	105x80	13.5x11	190	140	07P1F160D40JGMRX6020
	200	50	135x114	105x80	13.5x11	235	205	07P1F200D50JGMRX6020

Swivel Castor With Total Lock

									Order number
80	30	105x80	80x60	11x9	36	129	100	50	07P1TB80D30JGMRX4012
100	30	105x80	80x60	11x9	40	132	125	70	07P1TB100D30JGMRX4012
100	30	105x80	80x60	11x9	40	132	128	70	07P1TB/S100D30JGMRX4012
125	37.5	105x80	80x60	11x9	40	134	155	100	07P1TB125D37.5JGMRX5015
160	40	135x110	105x80	13.5x11	60	203	190	140	07P1TB160D40JGMRX6020
200	50	135x110	105x80	13.5x11	60	203	235	205	07P1TB200D50JGMRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey 85+/-3 solid rubber tread, pressed steel wheel centre roller bearing



Swivel Castor With Bolt Hole

							Order number
	80	30	36	φ10.5/φ13	99	50	07H1S80D30JGMRX4012
	100	30	36	φ10.5/φ13	124	70	07H1S100D30JGMRX4012
	100	30	36	φ10.5/φ13	127	70	07HS/S100D30JGMRX4012
	125	37.5	36	φ10.5/φ13	154	100	07H1S125D37.5JGMRX5015
	160	40	52	φ16	185	140	07H1S160D40JGMRX6020
	200	50	54	φ16	230	205	07H1S200D50JGMRX6020


Swivel Castor With Bolt Hole And Total Lock

								Order number
	80	30	36	φ10.5/φ13	129	99	50	07H1TB80D30JGMRX4012
	100	30	40	φ10.5/φ13	132	124	70	07H1TB100D30JGMRX4012
	100	30	40	φ10.5/φ13	132	127	70	07H1TB/S100D30JGMRX4012
	125	37.5	40	φ10.5/φ13	134	154	100	07H1TB125D37.5JGMRX5015
	160	40	60	φ16	203	185	140	07H1TB160D40JGMRX6020
	200	50	60	φ16	203	230	205	07H1TB200D50JGMRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey 85+/-3 solid rubber tread, pressed steel wheel centre roller bearing



Swivel Castor With Ffront Lock

									Order number
	160	40	135x110	105x80	13.5x11	52	190	140	07P1DB160D40JGMRX6020
	200	50	135x110	105x80	13.5x11	54	235	205	07P1DB200D50JGMRX6020

Swivel Castor With Directional Lock

									Order number
	160	40	135x110	105x80	13.5x11	52	190	140	07P1FB160D40JGMRX6020
	200	50	135x110	105x80	13.5x11	54	235	205	07P1FB200D50JGMRX6020

Swivel Castor With Central Lock

									Order number
160	40	135x110	105x80	13.5x11	52	156	190	140	07P1CB160D40JGMRX6020
200	50	135x110	105x80	13.5x11	54	156	235	205	07P1CB200D50JGMRX6020


Fixed Castor With Front Lock

								Order number
	160	40	135x114	105x80	13.5x11	195	140	07P1F/FB200D50JGMRX6020

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene wheel centre dark grey shore a 85"thermoplastic rubber tread, roller bearing



Swivel Castor

									Order number
80	38	105x80	80x60	11x9	36	100	100	100	07P1S80D38DTERX4012
100	32	105x80	80x60	11x9	36	125	100	100	07P1S100D32DTERX4012
100	32	105x80	80x60	11x9	36	128	100	100	07P1S/S100D32DTERX4012
125	32	105x80	80x60	11x9	36	155	150	150	07P1S125D32DTERX5015
160	40	135x110	105x80	13.5x11	52	190	200	200	07P1S160D40DTERX6020
200	40	135x110	105x80	13.5x11	54	235	220	220	07P1S200D40DTERX6020

Fixed Castor

									Order number
80	38	102x87	80x60	11x9	100	100	100	100	07P1F80D38DTERX4012
100	32	102x87	80x60	11x9	125	125	125	125	07P1F100D32DTERX4012
100	32	102x87	80x60	11x9	128	128	128	128	07P1F/S100D32DTERX4012
125	32	102x87	80x60	11x9	155	150	150	150	07P1F125D32DTERX5015
160	40	135x114	105x80	13.5x11	190	200	200	200	07P1F160D40DTERX6020
200	40	135x114	105x80	13.5x11	235	220	220	220	07P1F200D40DTERX6020


Swivel Castor With Total Lock

									Order number
80	38	105x80	80x60	11x9	36	129	100	100	07P1TB38D38DTPRX4012
100	32	105x80	80x60	11x9	40	132	125	100	07P1TB100D32DTPRX4012
100	32	105x80	80x60	11x9	40	132	128	100	07P1TB/S100D32DTPRX4012
125	32	105x80	80x60	11x9	40	134	155	150	07P1TB125D32DTERX5015
160	40	135x110	105x80	13.5x11	60	203	190	200	07P1TB160D40DTERX6020
200	40	135x110	105x80	13.5x11	60	203	235	220	07P1TB200D40DTERX6020

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene wheel centre dark grey shore a 85"thermoplastic rubber tread, roller bearing



Swivel Castor With Bolt Hole

							Order number
80	38	36	φ10.5/φ13	99	100	100	07H1S80D38DTERX4012
100	32	36	φ10.5/φ13	124	100	100	07H1S100D32DTERX4012
100	32	36	φ10.5/φ13	127	100	100	07H1S/S100D32DTERX4012
125	32	36	φ10.5/φ13	154	150	150	07H1S125D32DTERX5015
160	40	52	φ16	185	200	200	07H1S160D40DTERX6020
200	40	54	φ16	230	220	220	07H1S200D40DTERX6020


Swivel Castor With Bolt Hole And Total Lock

							Order number
80	38	36	φ10.5/φ13	129	99	100	07H1TB38D38DTERX4012
100	32	40	φ10.5/φ13	132	124	100	07H1TB100D32DTERX4012
100	32	40	φ10.5/φ13	132	127	100	07H1TB/S100D32DTERX4012
125	32	40	φ10.5/φ13	134	154	150	07H1TB125D32DTERX5015
160	40	60	φ16	203	185	200	07H1TB160D40DTERX6020
200	40	60	φ16	203	230	220	07H1TB200D40DTERX6020

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene wheel centre dark grey shore a 85"thermoplastic rubber tread, roller bearing



-20 / +60°C

4 KM/H

200 - 220 KG

190 - 235 MM

Swivel Castor With Directional Lock



								Order number
160	40	135x110	105x80	13.5x11	52	190	200	07P1DB160D40DTERX6020
200	40	135x110	105x80	13.5x11	54	235	220	07P1DB200D40DTERX6020

Swivel Castor With Central Lock



								Order number
160	40	135x110	105x80	13.5x11	52	190	200	07P1CB160D40DTERX6020
200	40	135x110	105x80	13.5x11	54	235	220	07P1CB200D40DTERX6020

Fixed Castor With Front Lock



							Order number
160	40	135x114	105x80	13.5x11	195	200	07P1/FB/FG160D40DTERX6020

Swivel Castor With Front Lock




								Order number
160	40	135x110	105x80	13.5x11	52	154	200	07P1FB160D40DTERX6020
200	40	135x110	105x80	13.5x11	54	154	220	07P1FB200D40DTERX6020

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene wheel centre dark grey shore a 85"thermoplastic rubber tread, central ball bearing, dark grey samlll plastic thread guards



-20 / +60°C

4 KM/H

100 - 220 KG

125 - 235 MM

Swivel Castor



								Order number
100	32	105x80	80x60	11x9	36	125	100	07P1S100D32DTEBA428
100	32	105x80	80x60	11x9	36	128	100	07P1S/S100D32DTEBA428
125	32	105x80	80x60	11x9	36	155	150	07P1S125D32DTEBA5210
160	40	135x110	105x80	13.5x11	52	190	200	07P1S160D40DTEBA6212
200	40	135x110	105x80	13.5x11	54	235	220	07P1S200D40DTEBA6212

Fixed Castor



							Order number
100	32	102x87	80x60	11x9	125	100	07P1F100D32DTEBA428
100	32	102x87	80x60	11x9	128	100	07P1F/S100D32DTEBA428
125	32	102x87	80x60	11x9	155	150	07P1F125D32DTEBA5210
160	40	135x114	105x80	13.5x11	190	200	07P1F160D40DTEBA6212
200	40	135x114	105x80	13.5x11	235	220	07P1F200D40DTEBA6212

Swivel Castor With Total Lock




								Order number
100	32	105x80	80x60	11x9	40	132	100	07P1TB100D32DTEBA428
100	32	105x80	80x60	11x9	40	132	128	07P1TB/S100D32DTEBA428
125	32	105x80	80x60	11x9	40	134	155	07P1TB125D32DTEBA5210
160	40	135x110	105x80	13.5x11	60	203	190	07P1TB160D40DTEBA6212
200	40	135x110	105x80	13.5x11	60	203	235	07P1TB200D40DTEBA6212

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85"thermoplastic rubber tread, central ball bearing, dark grey samlll plastic thread guards



Swivel Castor With Bolt Hole



						Order number
100	32	36	φ10.5/φ13	124	100	07H1S100D32DTEBA428
100	32	36	φ10.5/φ13	127	100	07H1S/S100D32DTEBA428
125	32	36	φ10.5/φ13	154	150	07H1S125D32DTEBA5210
160	40	52	φ16	185	200	07H1S160D40DTEBA6212
200	40	54	φ16	230	220	07H1S200D40DTEBA6212

Swivel Castor With Bolt Hole And Total Lock




							Order number
100	32	40	φ10.5/φ13	132	124	100	07H1TB100D32DTEBA428
100	32	40	φ10.5/φ13	132	127	100	07H1TB/S100D32DTEBA428
125	32	40	φ10.5/φ13	134	154	150	07H1TB125D32DTEBA5210
160	40	60	φ16	203	185	200	07H1TB160D40DTEBA6212
200	40	60	φ16	203	230	220	07H1TB200D40DTEBA6212

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85"thermoplastic rubber tread, central ball bearing, dark grey samlll plastic thread guards



Swivel Castor With Directional Lock



								Order number
160	40	135x110	105x80	13.5x11	52	190	200	07P1DB160D40DTEBA6212
200	40	135x110	105x80	13.5x11	54	235	220	07P1DB200D40DTEBA6212

Swivel Castor With Central Lock



									Order number
160	40	135x110	105x80	13.5x11	52	190	190	200	07P1PCB160D40DTEBA6212
200	40	135x110	105x80	13.5x11	54	235	235	220	07P1PCB200D40DTEBA6212

Fixed Castor With Front Lock



							Order number
160	40	135x114	105x80	13.5x11	195	200	07P1/FB160D40DTEBA6212

Swivel Castor With Front Lock




									Order number
160	40	135x110	105x80	13.5x11	52	154	190	200	07P1FB160D40DTEBA6212
200	40	135x110	105x80	13.5x11	54	154	235	220	07P1FB200D40DTEBA6212

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene wheel centre dark grey shore a 65"thermoplastic rubber tread, roller bearing



Swivel Castor

									Order number
	80	32	105x80	80x60	11x9	36	100	100	07P1S80D32DTRRX4012
	100	32	105x80	80x60	11x9	36	125	120	07P1S100D32DTRRX4012
	100	32	105x80	80x60	11x9	36	128	120	07P1S/S100D32DTRRX4012

Fixed Castor

								Order number
	80	32	102x87	80x60	11x9	100	100	07P1F80D32DTRRX4012
	100	32	102x87	80x60	11x9	125	120	07P1F100D32DTRRX4012
	100	32	102x87	80x60	11x9	128	120	07P1F/S100D32DTRRX4012


Swivel Castor With Total Lock

									Order number
	80	32	105x80	80x60	11x9	36	129	100	07P1TB80D32DTRRX4012
	100	32	105x80	80x60	11x9	40	132	120	07P1TB100D32DTRRX4012
	100	32	105x80	80x60	11x9	40	132	120	07P1TB/S100D32DTRRX4012

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene wheel centre dark grey shore a 65"thermoplastic rubber tread, roller bearing



Swivel Castor With Bolt Hole

							Order number
	80	32	36	φ10.5/φ13	99	100	07H1S80D32DTRRX4012
	100	32	36	φ10.5/φ13	124	120	07H1S100D32DTRRX4012
	100	32	36	φ10.5/φ13	127	120	07H1S/S100D32DTRRX4012

Swivel Castor With Bolt Hole And Total Lock

								Order number
	80	32	36	φ10.5/φ13	129	99	100	07H1TB80D32DTRRX4012
	100	32	40	φ10.5/φ13	132	124	120	07H1TB100D32DTRRX4012
	100	32	40	φ10.5/φ13	132	127	120	07H1TB/S100D32DTRRX4012


Swivel Castor With Directional Lock

									Order number
	80	32	105x80	80x60	11x9	36	145	100	07P1DB80D32DTRRX4012
	100	32	105x80	80x60	11x9	36	145	120	07P1DB100D32DTRRX4012
	100	32	105x80	80x60	11x9	36	145	120	07P1DB/S100D32DTRRX4012

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene wheel centre dark grey shore a 85"thermoplastic rubber tread, centre ball bearing, grey samll plastic thread guards



Swivel Castor

									Order number
	80	32	105x80	80x60	11x9	36	100	100	07P1S80D32DTRBA428
	100	32	105x80	80x60	11x9	36	125	120	07P1S100D32DTRBA428
	100	32	105x80	80x60	11x9	36	128	120	07P1S/S100D32DTRBA428

Fixed Castor

								Order number
	80	32	102x87	80x60	11x9	100	100	07P1F80D32DTRBA428
	100	32	102x87	80x60	11x9	125	120	07P1F100D32DTRBA428
	100	32	102x87	80x60	11x9	128	120	07P1F/S100D32DTRBA428


Swivel Castor With Total Lock

									Order number
80	32	105x80	80x60	11x9	36	129	100	100	07P1TB80D32DTRBA428
100	32	105x80	80x60	11x9	40	132	125	120	07P1TB100D32DTRBA428
100	32	105x80	80x60	11x9	40	132	128	120	07P1TB/S100D32DTRBA428

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene wheel centre dark grey shore a 85"thermoplastic rubber tread, centre ball bearing, grey samll plastic thread guards



Swivel Castor With Bolt Hole

							Order number
	80	32	36	φ10.5/φ13	99	100	07H1S80D32DTRBA4208
	100	32	36	φ10.5/φ13	124	120	07H1S100D32DTRBA4208
	100	32	36	φ10.5/φ13	127	120	07H1S/S100D32DTRBA4208


Swivel Castor With Bolt Hole And Total Lock

								Order number
	80	32	36	φ10.5/φ13	129	99	100	07H1TB80D32DTRBA4208
	100	32	40	φ10.5/φ13	132	124	120	07H1TB100D32DTRBA4208
	100	32	40	φ10.5/φ13	132	127	120	07H1TB/S100D32DTRBA4208

Grey Polypropylene Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene tread grey polypropylene with dark grey shore a 85"thermoplastic rubber wheel centre, roller bearing, samll metal thread guards



-20 / +60°C

4 KM/H

135 - 160 KG

125 - 155 MM

Swivel Castor



								Order number
100	36	105x80	80x60	11x9	36	125	135	07P1S100D36DRERX4012
100	36	105x80	80x60	11x9	36	128	135	07P1S/S100D36DRERX4012
125	36	105x80	80x60	11x9	40	155	160	07P1S125D36DRERX5015

Fixed Castor



							Order number
100	36	102x87	80x60	11x9	125	135	07P1F1100D36DRERX4012
100	36	102x87	80x60	11x9	128	135	07P1F/S100D36DRERX4012
125	36	102x87	80x60	11x9	155	160	07P1F125D36DRERX5015

Swivel Castor With Total Lock




								Order number
100	36	105x80	80x60	11x9	40	132	125	07P1TB100D36DRERX4012
100	36	105x80	80x60	11x9	40	132	128	07P1TB/S100D36DRERX4012
125	36	105x80	80x60	11x9	40	134	155	07P1TB125D36DRERX5015

Grey Polypropylene Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene tread grey polypropylene with dark grey shore a 85" thermoplastic rubber wheel centre, roller bearing, samll metal thread guard



-20 / +60°C

4 KM/H

135 - 160 KG

124 - 154 MM

Swivel Castor With Bolt Hole



						Order number
100	36	36	φ10.5/φ13	124	135	07H1S100D36DRERX4012
100	36	36	φ10.5/φ13	127	135	07H1S/S100D36DRERX4012
125	36	36	φ10.5/φ13	154	160	07H1S125D36DRERX5015

Swivel Castor With Bolt Hole And Total Lock




							Order number
100	36	40	φ10.5/φ13	132	124	135	07H1TB100D36DRERX4012
100	36	40	φ10.5/φ13	132	127	135	07H1TB/S100D36DRERX4012
125	36	40	φ10.5/φ13	134	154	160	07H1TB125D36DRERX5015

Grey Polypropylene Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene tread grey polypropylene with dark grey shore a 85" thermoplastic rubber wheel centre, central ball bearing, dark grey samll plastic thread guards



	-20 / +60°C		4 KM/H
	135 - 160 KG		125 - 155 MM

Swivel Castor



								Order number
100	36	105x80	80x60	11x9	36	125	135	07P1S100D36DREBA4208
100	36	105x80	80x60	11x9	36	128	135	07P1S/S100D36DREBA4208
125	36	105x80	80x60	11x9	40	155	160	07P1S125D36DREBA5210

Fixed Castor



							Order number
100	36	102x87	80x60	11x9	125	135	07P1F100D36DREBA4208
100	36	102x87	80x60	11x9	128	135	07P1F/S100D36DREBA4208
125	36	102x87	80x60	11x9	155	160	07P1F125D36DREBA5210

Swivel Castor With Total Lock




								Order number
100	36	105x80	80x60	11x9	40	124	125	07P1TB100D36DREBA4208
100	36	105x80	80x60	11x9	40	124	128	07P1TB/S100D36DREBA4208
125	36	105x80	80x60	11x9	40	154	155	07P1TB125D36DREBA5210

Grey Polypropylene Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: grey polypropylene tread grey polypropylene with dark grey shore a 85" thermoplastic rubber wheel centre, central ball bearing, dark grey samll plastic thread guards



	-20 / +60°C		4 KM/H
	135 - 160 KG		124 - 154 MM

Swivel Castor With Bolt Hole



						Order number
100	36	36	φ10.5/φ13	124	135	07H1S100D36DREBA4208
100	36	36	φ10.5/φ13	127	135	07H1S/S100D36DREBA4208
125	36	36	φ10.5/φ13	154	160	07H1S125D36DREBA5210

Swivel Castor With Bolt Hole And Total Lock





							Order number
100	36	40	φ10.5/φ13	132	124	135	07H1TB100D36DREBA4208
100	36	40	φ10.5/φ13	132	127	135	07H1TB/S100D36DRBAC4208
125	36	40	φ10.5/φ13	134	154	160	07H1TB125D36DREBA5210

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread roller bearing



Swivel Castor



								Order number
100	34	105x80	80x60	11x9	36	125	160	07P1S100A34CETRX4012
100	34	105x80	80x60	11x9	36	128	160	07P1S/S100A34CETRX4012
125	40	105x80	80x60	11x9	36	155	250	07P1S125A40CETRX5015
160	46	135x110	105x80	13.5x11	52	190	300	07P1S160A46CETRX6020
200	46	135x110	105x80	13.5x11	54	235	350	07P1S200A46CETRX6020

Fixed Castor



							Order number
100	34	105x80	80x60	11x9	125	160	07P1F100A34CETRX4012
100	34	105x80	80x60	11x9	128	160	07P1F/S100A34CETRX4012
125	40	105x80	80x60	11x9	155	250	07P1F125A40CETRX5015
160	46	135x110	105x80	13.5x11	190	300	07P1F160A46CETRX6020
200	46	135x110	105x80	13.5x11	235	350	07P1F200A46CETRX6020

Swivel Castor With Total Lock




									Order number
100	34	105x80	80x60	11x9	40	132	125	160	07P1TB100A34CETRX4012
100	34	105x80	80x60	11x9	40	132	128	160	07P1TB/S100A34CETRX4012
125	40	135x110	105x80	11x9	40	134	190	250	07P1TB125A40CETRX5015
160	46	135x110	105x80	13.5x11	60	203	235	300	07P1TB160A46CETRX6020
200	46	135x110	105x80	13.5x11	60	203	205	350	07P1TB200A46CETRX6020

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread roller bearing



Swivel Castor With Bolt Hole



						Order number
100	34	36	φ10.5/φ13	124	160	07H1S100A34CETRX4012
100	34	36	φ10.5/φ13	127	160	07H1S/S100A34CETRX4012
125	40	36	φ10.5/φ13	154	250	07H1S125A40CETRX5015
160	46	52	φ16	185	300	07H1S160A46CETRX6020
200	46	54	φ16	230	350	07H1S200A46CETRX6020

Swivel Castor With Bolt Hole And Total Lock




							Order number
100	34	40	φ10.5/φ13	132	124	160	07H1TB100A34CETRX4012
100	34	40	φ10.5/φ13	132	127	160	07H1TB/S100A34CETRX4012
125	40	40	φ10.5/φ13	134	154	250	07H1TB125A40CETRX5015
160	46	60	φ16	203	185	300	07H1TB160A46CETRX6020
200	46	60	φ16	203	230	350	07H1TB200A46CETRX6020

Grey Polyamide Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: grey polyamide wheel centre grey polyamide and dark grey shore a 80" elastic rubber wheel centre, roller bearing grey samll plastic thread guards



-20 / +60°C

4 KM/H

160 - 200 KG

125 - 155 MM

Swivel Castor



							Order number
100	36	105x80	80x60	11x9	36	125	16007P1S100D36DRARA4012
100	36	105x80	80x60	11x9	36	128	16007P1S/S100D36DRERA4012
125	36	105x80	80x60	11x9	36	155	20007P1S125D36DRERA5015

Fixed Castor



							Order number
100	36	102x87	80x60	11x9	125	160	07P1F100D36DRARA4012
100	36	102x87	80x60	11x9	128	160	07P1F/S100D36DRARA4012
125	36	102x87	80x60	11x9	155	200	07P1F125D36DRARA5015

Swivel Castor With Total Lock




							Order number
100	36	105x80	80x60	11x9	40	132	12516007P1TB100D36DRARA4012
100	36	105x80	80x60	11x9	40	132	12516007P1TB/S100D36DRARA4012
125	36	105x80	80x60	11x9	40	134	15520007P1TB125D36DRARA5015

Grey Polyamide Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: grey polypropylene wheel centre grey polyamide and dark grey shore a 80" elastic rubber wheel centre, roller bearing grey samll plastic thread guards



-20 / +60°C

4 KM/H

160 - 200 KG

124 - 154 MM

Swivel Castor With Bolt Hole



						Order number
100	36	36	φ10.5/φ13	124	160	07H1S100D36DRARA4012
100	36	36	φ10.5/φ13	127	160	07H1S/S100D36DRARA4012
125	36	36	φ10.5/φ13	154	200	07H1S125D36DRARA5015

Swivel Castor With Bolt Hole And Total Lock




						Order number
100	36	40	φ10.5/φ13	132	124	16007H1TB100D36DRARA4012
100	36	40	φ10.5/φ13	132	127	16007H1TB/S100D36DRARA4012
125	36	40	φ10.5/φ13	134	154	20007H1TB125D36DRARA5015

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre 68+5 shore a blue elastic rubber tread roller bearing



-20 / +60°C

4 KM/H

300 - 350 KG

190 - 235 MM

Swivel Castor With Central Lock

									Order number	
	160	46	135x110	105x80	13.5x11	52	156	190	300	07P1CB160A46CETRX6020
	200	46	135x110	105x80	13.5x11	54	156	235	350	07P1CB200A46CETRX6020

Swivel Castor With Directional Lock

									Order number
	160	46	135x110	105x80	13.5x11	52	190	300	07P1DB160A46CETRX6020
	200	46	135x110	105x80	13.5x11	54	235	350	07P1DB200A46CETRX6020

Fixed Castor With Front Lock

								Order number
	160	40	135x114	105x80	ϕ11	195	300	07P1F/FB160A46CETRX6020


Swivel Castor With Front Lock

										Order number
	160	46	135x110	105x80	13.5x11	52	154	190	300	07P1FB160A46CETRX6020
	200	46	135x110	105x80	13.5x11	54	154	235	350	07P1FB200A46CETRX6020

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread central ball bearing, black samll thread guards



-20 / +60°C

4 KM/H

160 - 250 KG

125 - 155 MM

Swivel Castor

									Order number
	100	34	105x80	80x60	11x9	36	125	160	07P1S100A34CETBA428
	100	34	105x80	80x60	11x9	36	128	160	07P1S/S100A34CETBA428
	125	40	105x80	80x60	11x9	36	155	250	07P1S125A40CETBA5210

Fixed Castor

								Order number
	100	34	102x87	80x60	11x9	125	160	07P1F100A34CETBA428
	100	34	102x87	80x60	11x9	128	160	07P1F/S100A34CETBA428
	125	40	102x87	80x60	11x9	155	250	07P1F125A40CETBA5210


Swivel Castor With Total Lock

										Order number
	100	34	105x80	80x60	11x9	40	132	125	160	07P1TB100A34CETBA428
	100	34	105x80	80x60	11x9	40	132	128	160	07P1TB/S100A34CETBA428
	125	40	105x80	80x60	11x9	40	134	155	250	07P1TB125A40CETBA5210

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread central ball bearing, black samll thread guards



Swivel Castor With Bolt Hole

							Order number
100	34	36	φ10.5/φ13	124	160	07H1S100A34CETBA4208	
100	34	36	φ10.5/φ13	127	160	07H1S/S100A34CETBA4208	
125	40	36	φ10.5/φ13	154	250	07H1S125A40CETBA5210	


Swivel Castor With Bolt Hole And Total Lock

							Order number
100	34	40	φ10.5/φ13	132	124	160	07H1TB100A34CETBA4208
100	34	40	φ10.5/φ13	132	127	160	07H1TB/S100A34CETBA4208
125	40	40	φ10.5/φ13	134	154	250	07H1TB125A40CETBA5210

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread roller bearing



Swivel Castor

								Order number
100	34	105x80	80x60	11x9	36	125	160	07P1S100D34DETRX4012
100	34	105x80	80x60	11x9	36	128	160	07P1S/S100D34DETRX4012
125	40	105x80	80x60	11x9	36	155	250	07P1S125D40DETRX5015
160	46	135x110	105x80	13.5x11	52	190	300	07P1S160D46DETRX6020
200	46	135x110	105x80	13.5x11	54	235	350	07P1S200D46DETRX6020

Fixed Castor

							Order number
100	34	102x87	80x60	11x9	125	160	07P1F100D34DETRX4012
100	34	102x87	80x60	11x9	128	160	07P1F/S100D34DETRX4012
125	40	102x87	80x60	11x9	155	250	07P1F125D40DETRX5015
160	46	135x114	105x80	13.5x11	190	300	07P1F160D46DETRX6020
200	46	135x114	105x80	13.5x11	235	350	07P1F200D46DETRX6020

Swivel Castor With Total Lock


																																																																																																																																																																																																																																																																																																													
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread roller bearing



Swivel Castor With Bolt Hole

							Order number
	100	34	36	φ10.5/φ13	124	160	07H1S100D34DETRX4012
	100	34	36	φ10.5/φ13	127	160	07H1S/S100D34DETRX4012
	125	40	36	φ10.5/φ13	154	250	07H1S125D40DETRX5015
	160	46	52	φ16	185	300	07H1S160D46DETRX6020
	200	46	54	φ16	230	350	07H1S200D46DETRX6020

Swivel Castor With Bolt Hole And Total Lock


								Order number
	100	34	40	φ10.5/φ13	132	124	160	07H1TB100D34DETRX4012
	100	34	40	φ10.5/φ13	132	127	160	07H1TB/S100D34DETRX4012
	125	40	40	φ10.5/φ13	134	154	250	07H1TB125D40DETRX5015
	160	46	60	φ16	203	185	300	07H1TB160D46DETRX6020
	200	46	60	φ16	203	230	350	07H1TB200D46DETRX6020

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread roller bearing



Swivel Castor With Central Lock

										Order number
	160	46	135x110	105x80	13.5x11	52	156	190	300	07P1CB160D46DETRX6020
	200	46	135x110	105x80	13.5x11	54	156	235	350	07P1CB200D46DETRX6020

Swivel Castor With Directional Lock

									Order number
	160	46	135x110	105x80	13.5x11	52	190	300	07P1DB160D46DETRX6020
	200	46	135x110	105x80	13.5x11	54	235	350	07P1DB200D46DETRX6020

Fixed Castor With Front Lock

								Order number
	160	40	135x114	105x80	φ11	195	300	07P1F/FB160D46DETRX6020

Swivel Castor With Front Lock


										Order number
	160	46	135x110	105x80	13.5x11	52	154	190	300	07P1FB160D46DETRX6020
	200	46	135x110	105x80	13.5x11	54	154	235	350	07P1FB200D46DETRX6020

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread central ball bearing, grey samll thread guards



Swivel Castor



								Order number
100	34	105x80	80x60	11x9	36	125	160	07P1S100D34DETBA4208
100	34	105x80	80x60	11x9	36	128	160	07P1S/S100D34DETBA4208
125	40	105x80	80x60	11x9	36	155	250	07P1S125D40DETBA5210

Fixed Castor



							Order number
100	34	102x87	80x60	11x9	125	160	07P1F100D34DETBA4208
100	34	102x87	80x60	11x9	128	160	07P1F/S100D34DETBA4208
125	40	102x87	80x60	11x9	155	250	07P1F125D40DETBA5210

Swivel Castor With Total Lock




									Order number
100	34	105x80	80x60	11x9	40	132	125	160	07P1TB100D34DETBA4208
100	34	105x80	80x60	11x9	40	132	128	160	07P1TB/S100D34DETBA4208
125	40	105x80	80x60	11x9	40	134	155	250	07P1TB125D40DETBA5210

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread central ball bearing, grey samll thread guards



Swivel Castor With Bolt Hole



						Order number
100	34	36	φ10.5/φ13	124	160	07H1S100D34DETBA4208
100	34	36	φ10.5/φ13	127	160	07H1S/S100D34DETBA4208
125	40	36	φ10.5/φ13	154	250	07H1S125D40DETBA5210

Swivel Castor With Bolt Hole And Total Lock





							Order number
100	34	40	φ10.5/φ13	132	124	160	07H1TB100D34DETBA4208
100	34	40	φ10.5/φ13	132	127	160	07H1TB/S100D34DETBA4208
125	40	40	φ10.5/φ13	134	154	250	07H1TB125D40DETBA5210

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread roller bearing



Swivel Castor



								Order number
80	35	105x80	80x60	11x9	36	100	130	07P1S80A35CEPRX4012
100	36	105x80	80x60	11x9	36	125	180	07P1S100A36CEPRX4012
100	36	105x80	80x60	11x9	36	128	180	07P1S/S100A36CEPRX4012
125	36	105x80	80x60	11x9	36	155	230	07P1S125A36CEPRX5015
160	48	135x110	105x80	13.5x11	52	190	300	07P1S160A48CEPRX6020
200	48	135x110	105x80	13.5x11	54	235	350	07P1S200A48CEPRX6020

Fixed Castor



							Order number
80	35	102x87	80x60	11x9	100	130	07P1F80A35CEPRX4012
100	36	102x87	80x60	11x9	125	180	07P1F100A36CEPRX4012
100	36	102x87	80x60	11x9	128	180	07P1F/S100A36CEPRX4012
125	36	102x87	80x60	11x9	155	230	07P1F125A36CEPRX5015
160	48	135x114	105x80	13.5x11	190	300	07P1F160A48CEPRX6020
200	48	135x114	105x80	13.5x11	235	350	07P1F200A48CEPRX6020

Swivel Castor With Total Lock




								Order number
80	35	105x80	80x60	11x9	36	129	100	07P1TB80A35CEPRX4012
100	36	105x80	80x60	11x9	40	132	125	07P1TB100A36CEPRX4012
100	36	105x80	80x60	11x9	40	132	125	07P1TB/S100A36CEPRX4012
125	36	105x80	80x60	11x9	40	134	155	07P1TB125A36CEPRX5015
160	48	135x110	105x80	13.5x11	60	203	190	07P1TB160A48CEPRX6020
200	48	135x110	105x80	13.5x11	60	203	235	07P1TB200A48CEPRX6020

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre 68+5 shore a blue elastic rubber tread roller bearing



Swivel Castor With Bolt Hole



						Order number
80	35	36	φ10.5/φ13	99	130	07H1S80A35CEPRX4012
100	36	36	φ10.5/φ13	124	180	07H1S100A36CEPRX4012
100	36	36	φ10.5/φ13	127	180	07H1S/S100A36CEPRX4012
125	36	36	φ10.5/φ13	154	230	07H1S125A36CEPRX5015
160	48	52	φ16	185	300	07H1S160A48CEPRX6020
200	48	54	φ16	230	350	07H1S200A48CEPRX6020

Swivel Castor With Bolt Hole And Total Lock



							Order number
80	35	36	φ10.5/φ13	129	99	130	07H1TB80A35CEPRX4012
100	36	40	φ10.5/φ13	132	124	180	07H1TB100A36CEPRX4012
100	36	40	φ10.5/φ13	132	124	180	07H1TB/S100A36CEPRX4012
125	36	40	φ10.5/φ13	134	154	230	07H1TB125A36CEPRX5015
160	48	60	φ16	203	185	300	07H1TB160A48CEPRX6020
200	48	60	φ16	203	230	350	07H1TB200A48CEPRX6020

Swivel Castor With Front Lock





								Order number
160	48	135x110	105x80	13.5x11	52	154	190	07P1FB160A48CEPRX6020
200	48	135x110	105x80	13.5x11	54	154	235	07P1FB200A48CEPRX6020

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread roller bearing



Swivel Castor With Directional Lock

									Order number
	160	48	135x110	105x80	13.5x11	52	190	300	07P1DB160A48CEPRX6020
	200	48	135x110	105x80	13.5x11	54	235	350	07P1DB200A48CEPRX6020

Swivel Castor With Central Lock

									Order number
	160	48	135x110	105x80	13.5x11	52	156	190	07P1CB160A48CEPRX6020
	200	48	135x110	105x80	13.5x11	54	156	235	07P1CB200A48CEPRX6020

Fixed Castor With Front Lock

								Order number
	160	48	135x114	105x80	13.5x11	195	300	07P1F/FG/FB160A48CEPRX6020

Swivel Castor With Directional Lock


									Order number
	80	35	105x80	80x60	11x9	36	145	100	07P1DB80A35CEPRX4012
	100	36	105x80	80x60	11x9	40	145	125	07P1DB100A36CEPRX4012
	100	36	105x80	80x60	11x9	40	145	128	07P1DB/S100A36CEPRX4012

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread central ball bearing, black samll plastic thread guards



Swivel Castor

									Order number
	80	36	105x80	80x60	11x9	36	100	130	07P1S80A36CEPBA4208
	100	36	105x80	80x60	11x9	36	125	160	07P1S100A36CEPBA4208
	100	36	105x80	80x60	11x9	36	128	160	07P1S/S100A36CEPBA4208
	125	36	105x80	80x60	11x9	36	155	230	07P1S125A36CEPBA5210
	125	38	105x80	80x60	11x9	36	155	250	07P1S125A38CEPBA5210

Fixed Castor

								Order number
	80	36	102x87	80x60	11x9	100	130	07P1F80A36CEPBA4208
	100	36	102x87	80x60	11x9	125	160	07P1F100A36CEPBA4208
	100	36	102x87	80x60	11x9	128	160	07P1F/S100A36CEPBA4208
	125	36	102x87	80x60	11x9	155	230	07P1F125A36CEPBA5210
	125	38	102x87	80x60	11x9	155	250	07P1F125A38CEPBA5210


Swivel Castor With Total Lock

									Order number
	80	36	105x80	80x60	11x9	36	129	100	07P1TB80A36CEPBA4208
	100	36	105x80	80x60	11x9	40	132	125	07P1TB100A36CEPBA4208
	100	36	105x80	80x60	11x9	40	132	128	07P1TB/S100A36CEPBA4208
	125	36	105x80	80x60	11x9	40	134	155	07P1TB125A36CEPBA5210
	125	38	105x80	80x60	11x9	40	134	155	07P1TB125A38CEPBA5210

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated
double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre
shore a 68+5 blue elastic rubber tread
central ball bearing, black samll plastic thread guards



Swivel Castor With Bolt Hole

						Order number
80	36	36	φ10.5/φ13	99	130	07H1S80A36CEPBA4208
100	36	36	φ10.5/φ13	124	180	07H1S100A36CEPBA4208
100	36	36	φ10.5/φ13	127	180	07H1S/S100A36CEPBA4208
125	36	36	φ10.5/φ13	154	250	07H1S125A36CEPBA5210
125	38	36	φ10.5/φ13	154	250	07H1S125A38CEPBA5210


Swivel Castor With Bolt Hole And Total Lock

							Order number
80	35	36	φ10.5/φ13	129	99	130	07H1TB80A36CEPBA4208
100	36	40	φ10.5/φ13	132	124	180	07H1TB100A36CEPBA4208
100	36	40	φ10.5/φ13	132	127	180	07H1TB/S100A36CEPBA4208
125	36	40	φ10.5/φ13	134	154	250	07H1TB125A36CEPBA5210
125	38	40	φ10.5/φ13	134	154	250	07H1TB125A38CEPBA5210

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated
double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre
shore a 68+5 grey elastic rubber tread
roller bearing



Swivel Castor

								Order number
80	35	105x80	80x60	11x9	36	100	130	07P1S80D35CEPRX4012
100	36	105x80	80x60	11x9	36	125	180	07P1S100D36CEPRX4012
100	36	105x80	80x60	11x9	36	128	180	07P1S/S100D36CEPRX4012
125	36	105x80	80x60	11x9	36	155	230	07P1S125D36CEPRX5015
160	48	135x110	105x80	13.5x11	52	190	300	07P1S160D48CEPRX6020
200	48	135x110	105x80	13.5x11	54	235	350	07P1S200D48CEPRX6020

Fixed Castor

							Order number
80	35	102x87	80x60	11x9	100	130	07P1F80D35CEPRX4012
100	36	102x87	80x60	11x9	125	180	07P1F100D36CEPRX4012
100	36	102x87	80x60	11x9	128	180	07P1F/S100D36CEPRX4012
125	36	102x87	80x60	11x9	155	230	07P1F125D36CEPRX5015
160	48	135x114	105x80	13.5x11	190	300	07P1F160D48CEPRX6020
200	48	135x114	105x80	13.5x11	235	350	07P1F200D48CEPRX6020

Swivel Castor With Total Lock


									Order number
80	35	105x80	80x60	11x9	36	129	100	130	07P1TB80D35CEPRX4012
100	36	105x80	80x60	11x9	40	132	125	180	07P1TB100D36CEPRX4012
100	36	105x80	80x60	11x9	40	132	128	180	07P1TB/S100D36CEPRX4012
125	36	105x80	80x60	11x9	40	134	155	230	07P1TB125D36CEPRX5015
160	48	135x110	105x80	13.5x11	60	203	190	300	07P1TB160D48CEPRX6020
200	48	135x110	105x80	13.5x11	60	203	235	350	07P1TB200D48CEPRX6020

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 grey elastic rubber tread roller bearing



Swivel Castor With Bolt Hole



						Order number
80	35	36	φ10.5/φ13	99	130	07H1S80D35CEPRX4012
100	36	36	φ10.5/φ13	124	180	07H1S100D36CEPRX4012
100	36	36	φ10.5/φ13	127	180	07H1S/S100D36CEPRX4012
125	36	36	φ10.5/φ13	154	230	07H1S125D36CEPRX5015
160	48	52	φ16	185	300	07H1S160D48CEPRX6020
200	48	54	φ16	230	350	07H1S200D48CEPRX6020

Swivel Castor With Bolt Hole And Total Lock




							Order number
80	35	36	φ10.5/φ13	129	99	130	07H1TB80D35CEPRX4012
100	36	40	φ10.5/φ13	132	124	180	07H1TB100D36CEPRX4012
100	36	40	φ10.5/φ13	132	127	180	07H1TB/S100D36CEPRX4012
125	36	40	φ10.5/φ13	134	154	230	07H1TB125D36CEPRX5015
160	48	60	φ16	203	185	300	07H1TB160D48CEPRX6020
200	48	60	φ16	203	230	350	07H1TB200D48CEPRX6020

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 grey elastic rubber tread central ball bearing, black samll plastic thread guards



Swivel Castor



								Order number
80	36	105x80	80x60	11x9	36	100	130	07P1S80D35CEPBA428
100	36	105x80	80x60	11x9	36	125	160	07P1S100D36CEPBA428
100	36	105x80	80x60	11x9	36	128	160	07P1S/S100D36CEPBA428
125	36	105x80	80x60	11x9	36	155	230	07P1S125D36CEPBA5210
125	38	105x80	80x60	11x9	36	155	250	07P1S125D38CEPBA5210

Fixed Castor



							Order number
80	36	102x87	80x60	11x9	100	130	07P1FB80D35CEPBA4208
100	36	102x87	80x60	11x9	125	160	07P1F100D36CEPBA4208
100	36	102x87	80x60	11x9	128	160	07P1F/S100D36CEPBA4208
125	36	102x87	80x60	11x9	155	230	07P1F125D36CEPBA5210
125	38	102x87	80x60	11x9	155	250	07P1F125D38CEPBA5210

Swivel Castor With Total Lock




									Order number
80	36	105x80	80x60	11x9	36	129	100	130	07P1TB80D35CEPBA4208
100	36	105x80	80x60	11x9	40	132	125	160	07P1TB100D36CEPBA4208
100	36	105x80	80x60	11x9	40	132	128	160	07P1TB/S100D36CEPBA4208
125	36	105x80	80x60	11x9	40	134	155	230	07P1TB125D36CEPBA5210
125	38	105x80	80x60	11x9	40	134	155	250	07P1TB125D38CEPBA5210

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre shore a 68+5 grey elastic rubber tread central ball bearing, black samll plastic thread guards



Swivel Castor With Bolt Hole

							Order number
	80	36	36	φ10.5/φ13	99	130	07H1S80D36CEPBA4208
	100	36	36	φ10.5/φ13	124	180	07H1S100D36CEPBA4208
	100	36	36	φ10.5/φ13	127	180	07H1S/S100D36CEPBA4208
	125	36	36	φ10.5/φ13	154	250	07H1S125D36CEPBA5210
	125	38	36	φ10.5/φ13	154	250	07H1S125D38CEPBA5210

Swivel Castor With Bolt Hole And Total Lock

								Order number
	80	35	36	φ10.5/φ13	129	99	130	07H1TB80D36CEPBA4208
	100	36	40	φ10.5/φ13	132	124	180	07H1TB100D36CEPBA4208
	100	36	40	φ10.5/φ13	132	127	180	07H1TB/S100D36CEPBA4208
	125	36	40	φ10.5/φ13	134	154	250	07H1TB125D36CEPBA5210
	125	38	40	φ10.5/φ13	134	154	250	07H1TB125D38CEPBA5210

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread two ball bearings



Swivel Castor

								Order number	
	80	38	105x80	80x60	11x9	36	100	150	07P1S80C38JEADX4015
	100	40	105x80	80x60	11x9	36	125	180	07P1S100C40JEADX4015
	100	40	105x80	80x60	11x9	36	128	180	07P1S/S100C40JEADX4015
	125	40	105x80	80x60	11x9	36	155	250	07P1S125C40JEADX5015
	160	50	135x110	105x80	13.5x11	52	190	300	07P1S160C50JEADX6020
	200	50	135x110	105x80	13.5x11	54	235	350	07P1S200C50JEADX6020
	230	50	135x110	105x80	13.5x11	61	260	350	07P1S230C50JEADX6020
	250	50	135x110	105x80	13.5x11	70	290	350	07P1S250C50JEADX6020

Fixed Castor

								Order number
	80	38	102x87	80x60	11x9	100	150	07P1F80C38JEADX4015
	100	40	102x87	80x60	11x9	125	180	07P1F100C40JEADX4015
	100	40	102x87	80x60	11x9	128	180	07P1F/S100C40JEADX4015
	125	40	102x87	80x60	11x9	155	250	07P1F125C40JEADX5015
	160	50	135x114	105x80	13.5x11	190	300	07P1F160C50JEADX6020
	200	50	135x114	105x80	13.5x11	235	350	07P1F200C50JEADX6020
	230	50	135x114	105x80	13.5x11	260	350	07P1F230C50JEADX6020
	250	50	135x114	105x80	13.5x11	290	350	07P1F250C50JEADX6020


Swivel Castor With Total Lock

									Order number	
	80	38	105x80	80x60	11x9	36	129	100	150	07P1TB80C38JEADX4015
	100	40	105x80	80x60	11x9	40	132	125	180	07P1TB/S100C40JEADX4015
	125	40	105x80	80x60	11x9	40	134	155	250	07P1TB125C40JEADX5015
	160	50	135x110	105x80	13.5x11	60	203	190	300	07P1TB160C50JEADX6020
	200	50	135x110	105x80	13.5x11	60	203	235	350	07P1TB200C50JEADX6020

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head, with central lock
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

300 - 350 KG

190 - 235 MM

Swivel Castor With Central Lock



									Order number
160	50	135x110	105x80	13.5x11	52	156	190	300	07P1CB160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	156	235	350	07P1CB200C50JEADX6020

Fixed Castor With Front Lock



							Order number
160	50	135x114	105x80	13.5x11	195	300	07P1F/FB/FG160C50JEADX6020

Swivel Castor With Directional Lock




									Order number
140	44	125x125	100x100	13.5x11	52	120	171.5	300	07P1DB140C44JEADX6020

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head, with central lock
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

150 - 350 KG

100 - 235 MM

Swivel Castor With Directional Lock



								Order number
160	50	135x110	105x80	13.5x11	52	190	300	07P1DB160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	350	07P1DB200C50JEADX6020

Swivel Castor With Directional Lock




									Order number
80	38	105x80	80x60	11x9	36	145	100	150	07P1DB80C38JEADX4015
100	40	105x80	80x60	11x9	36	145	125	180	07P1DB100C40JEADX4015
100	40	105x80	80x60	11x9	36	145	125	180	07P1DB/S100C40JEADX4015

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

150 - 350 KG

100 - 235 MM

Swivel Castor With Bolt Hole



								Order number
80	38	105x80	80x60	11x9	36	100	150	07H1S80C38JEADX4015
100	40	105x80	80x60	11x9	36	125	180	07H1S100C40JEADX4015
100	40	105x80	80x60	11x9	36	127	180	07H1S/S100C40JEADX4015
125	40	105x80	80x60	11x9	36	155	250	07H1S125C40JEADX5015
160	50	135x110	105x80	13.5x11	52	190	300	07H1S160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	350	07H1S200C50JEADX6020

Swivel Castor With Bolt Hole And Total Lock



								Order number
80	38	105x80	80x60	11x9	36	129	100	07H1TB80C38JEADX4015
100	40	105x80	80x60	11x9	40	132	125	07H1TB100C40JEADX4015
100	40	105x80	80x60	11x9	40	132	127	07H1TB/S100C40JEADX4015
125	40	105x80	80x60	11x9	40	134	155	07H1TB125C40JEADX5015
160	50	135x110	105x80	13.5x11	60	203	190	07H1TB160C50JEADX6020
200	50	135x110	105x80	13.5x11	60	203	235	07H1TB200C50JEADX6020

Swivel Castor With Front Lock




								Order number
160	50	135x110	105x80	13.5x11	52	154	190	07P1FB160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	154	235	07P1FB200C50JEADX6020
230	50	135x110	105x80	13.5x11	61	157	260	07P1FB230C50JEADX6020
250	50	135x110	105x80	13.5x11	70	157	290	07P1FB250C50JEADX6020

Grey Elastic Rubber Industrial Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 grey elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

150 - 350 KG

100 - 290 MM

Swivel Castor



								Order number
80	38	105x80	80x60	φ9	36	100	150	07P1S80D38JEADX4015
100	40	105x80	80x60	φ9	36	125	180	07P1S100D40JEADX4015
100	40	105x80	80x60	φ9	36	128	180	07P1S/S100D40JEADX4015
125	40	105x80	80x60	φ9	36	155	250	07P1S125D40JEADX5015
160	50	135x110	105x80	φ11	52	190	300	07P1S160D50JEADX6020
200	50	135x110	105x80	φ11	54	235	350	07P1S200D50JEADX6020
230	50	135x110	105x80	φ11	61	260	350	07P1S230D50JEADX6020
250	50	135x110	105x80	φ11	70	290	350	07P1S250D50JEADX6020

Fixed Castor



								Order number
80	38	102x87	80x60	φ9	100	150		07P1F80D38JEADX4015
100	40	102x87	80x60	φ9	125	180		07P1F100D40JEADX4015
100	40	102x87	80x60	φ9	128	180		07P1F/S100D40JEADX4015
125	40	102x87	80x60	φ9	155	250		07P1F125D40JEADX5015
160	50	135x114	105x80	φ11	190	300		07P1F160D50JEADX6020
200	50	135x114	105x80	φ11	235	350		07P1F200D50JEADX6020
230	50	135x114	105x80	φ11	260	350		07P1F230D50JEADX6020
250	50	135x114	105x80	φ11	290	350		07P1F250D50JEADX6020

Swivel Castor With Total Lock




								Order number
80	38	105x80	80x60	φ9	36	129	100	07P1TB80D38JEADX4015
100	40	105x80	80x60	φ9	40	132	125	07P1TB100D40JEADX4015
100	40	105x80	80x60	φ9	40	132	125	07P1TB/S100D40JEADX4015
125	40	105x80	80x60	φ9	40	134	155	07P1TB125D40JEADX5015
160	50	135x110	105x80	φ11	60	203	190	07P1TB160D50JEADX6020
200	50	135x110	105x80	φ11	60	203	235	07P1TB200D50JEADX6020

Grey Elastic Rubber Industrial Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 68+5 grey elastic rubber tread, two ball bearings



Swivel Castor With Bolt Hole



								Order number
80	38	105x80	80x60	11x9	36	100	150	07H1S80D38JEADX4015
100	40	105x80	80x60	11x9	36	125	180	07H1S100D40JEADX4015
100	40	105x80	80x60	11x9	36	128	180	07H1S/S100D40JEADX4015
125	40	105x80	80x60	11x9	36	155	250	07H1S125D40JEADX5015
160	50	135x110	105x80	13.5x11	52	190	300	07H1S160D50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	350	07H1S200D50JEADX6020

Swivel Castor With Bolt Hole And Total Lock




								Order number
80	38	105x80	80x60	11x9	36	129	100	07H1TB80D38JEADX4015
100	40	105x80	80x60	11x9	40	132	125	07H1TB100D40JEADX4015
100	40	105x80	80x60	11x9	40	132	125	07H1TB/S100D40JEADX4015
125	40	105x80	80x60	11x9	40	134	155	07H1TB125D40JEADX5015
160	50	135x110	105x80	13.5x11	60	203	190	07H1TB160D50JEADX6020
200	50	135x110	105x80	13.5x11	60	203	235	07H1TB200D50JEADX6020

Grey Elastic Rubber Industrial Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 68+5 grey elastic rubber tread, two ball bearings



Swivel Castor With Directional Lock



								Order number
160	50	135x110	105x80	13.5x11	52	190	300	07P1DB160D50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	350	07P1DB200D50JEADX6020

Swivel Castor With Central Lock



								Order number
160	50	135x110	105x80	13.5x11	52	156	190	07P1CB160D50JEADX6020
200	50	135x110	105x80	13.5x11	54	156	235	07P1CB200D50JEADX6020

Swivel Castor With Front Lock




								Order number
160	50	135x110	105x80	13.5x11	52	154	190	07P1FB160D50JEADX6020
200	50	135x110	105x80	13.5x11	54	154	235	07P1FB200D50JEADX6020
230	50	135x110	105x80	13.5x11	61	157	260	07P1FB230D50JEADX6020
250	50	135x110	105x80	13.5x11	70	157	290	07P1FB250D50JEADX6020

Red Injection Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white polyamide wheel centre shore a 92 red injection polyurethane tread roller bearing



Swivel Castor

									Order number
	80	34	105x80	80x60	11x9	36	100	150	07P1S80F34BUPRX4012
	100	34	105x80	80x60	11x9	36	125	180	07P1S100F34BUPRX4012
	100	34	105x80	80x60	11x9	36	128	180	07P1S/S100F34BUPRX4012
	125	36	105x80	80x60	11x9	36	155	250	07P1S125F36BUPRX5015
	160	40	135x110	105x80	13.5x11	52	190	300	07P1S160F40BUPRX6020
	200	50	135x110	105x80	13.5x11	54	235	350	07P1S200F50BUPRX6020

Fixed Castor

								Order number
	80	34	102x87	80x60	11x9	100	150	07P1F80F34BUPRX4012
	100	34	102x87	80x60	11x9	125	180	07P1F100F34BUPRX4012
	100	34	102x87	80x60	11x9	128	180	07P1F/S100F34BUPRX4012
	125	36	102x87	80x60	11x9	155	250	07P1F125F36BUPRX5015
	160	40	135x114	105x80	13.5x11	190	300	07P1F160F40BUPRX6020
	200	50	135x114	105x80	13.5x11	235	350	07P1F200F50BUPRX6020


Swivel Castor With Total Lock

									Order number
80	34	105x80	80x60	11x9	36	129	100	150	07P1TB80F34BUPRX4012
100	34	105x80	80x60	11x9	40	132	125	180	07P1TB100F34BUPRX4012
100	34	105x80	80x60	11x9	40	132	128	180	07P1TB/S100F34BUPRX4012
125	36	105x80	80x60	11x9	40	134	155	250	07P1TB125F36BUPRX5015
160	40	135x110	105x80	13.5x11	60	203	190	300	07P1TB160F40BUPRX6020
200	50	135x110	105x80	13.5x11	60	203	235	350	07P1TB200F50BUPRX6020

Red Injection Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white polyamide wheel centre 92 shore a red injection polyurethane tread roller bearing



Swivel Castor With Bolt Hole

							Order number
	80	34	36	φ10.5/φ13	99	150	07H1S80F34BUPRX4012
	100	34	36	φ10.5/φ13	124	180	07H1S100F34BUPRX4012
	100	34	36	φ10.5/φ13	124	180	07H1S/S100F34BUPRX4012
	125	36	36	φ10.5/φ13	154	250	07H1S125F36BUPRX5015
	160	40	52	φ16	185	300	07H1S160F40BUPRX6020
	200	50	54	φ16	230	350	07H1S200F50BUPRX6020


Swivel Castor With Bolt Hole And Total Lock

							Order number
80	34	36	φ10.5/φ13	129	99	150	07H1TB80F34BUPRX4012
100	34	40	φ10.5/φ13	132	124	180	07H1TB100F34BUPRX4012
100	34	40	φ10.5/φ13	132	124	180	07H1TB/S100F34BUPRX4012
125	36	40	φ10.5/φ13	134	154	250	07H1TB125F36BUPRX5015
160	40	60	φ16	203	185	300	07H1TB160F40BUPRX6020
200	50	60	φ16	203	230	350	07H1TB200F50BUPRX6020

Red Injection Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated
double ball race, sealed in the swivel head, with central lock
Wheel: white polyamide wheel centre
92 shore a red injection polyurethane tread
roller bearing



-20 / +60°C

4 KM/H

150 - 350 KG

190 - 235 MM

Swivel Castor With Directional Lock



								Order number
160	40	135x110	105x80	13.5x11	52	190	300	07P1DB160F40BUPRX6020
200	50	135x110	105x80	13.5x11	54	235	350	07P1DB200F50BUPRX6020

Swivel Castor With Central Lock



								Order number
160	40	135x110	105x80	13.5x11	52	156	190	07P1CB160F40BUPRX6020
200	50	135x110	105x80	13.5x11	54	156	235	07P1CB200F50BUPRX6020

Swivel Castor With Directional Lock



								Order number
80	34	105x80	80x60	11x9	36	145	100	07P1DB80F34BUPRX4012
100	34	105x80	80x60	11x9	36	145	125	07P1DB100F34BUPRX4012
100	34	105x80	80x60	11x9	36	145	125	07P1DB/S100F34BUPRX4012

Swivel Castor With Front Lock




								Order number
160	40	135x110	105x80	13.5x11	52	154	190	07P1FB160F40BUPRX6020
200	50	135x110	105x80	13.5x11	54	154	235	07P1FB200F50BUPRX6020

Green Injection Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated
double ball race, sealed in the swivel head
Wheel: grey polyamide wheel centre
shore a 92 green injection polyurethane tread
central ball bearing, green plastic samll thread guards



-20 / +60°C

4 KM/H

150 - 250 KG

100 - 155 MM

Swivel Castor



								Order number
80	34	105x80	80x60	11x9	36	100	150	07P1S80H34DUPBA428
100	34	105x80	80x60	11x9	36	125	180	07P1S100H34DUPBA428
100	34	105x80	80x60	11x9	36	128	180	07P1S/S100H34DUPBA428
125	36	105x80	80x60	11x9	36	155	250	07P1S125H36DUPBA5210

Fixed Castor



								Order number
80	34	105x80	80x60	11x9	100	150		07P1F80H34DUPBA428
100	34	105x80	80x60	11x9	125	180		07P1F100H34DUPBA428
100	34	105x80	80x60	11x9	128	180		07P1F/S100H34DUPBA428
125	36	105x80	80x60	11x9	155	250		07P1F125H36DUPBA5210

Swivel Castor With Total Lock




								Order number
80	34	105x80	80x60	11x9	36	129	100	07P1TB80H34DUPBA428
100	34	105x80	80x60	11x9	40	132	125	07P1TB100H34DUPBA428
100	34	105x80	80x60	11x9	40	132	128	07P1TB/S100H34DUPBA428
125	36	105x80	80x60	11x9	40	134	155	07P1TB125H36DUPBA5210

Green Injection Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: grey polyamide wheel centre shore a 92 green injection polyurethane tread central ball bearing, green plastic samll thread guards



-20 / +60°C

4 KM/H

150 - 250 KG

99 - 154 MM

Swivel Castor With Bolt Hole



								Order number
80	34	105x80	80x60	11x9	36	99	150	07H1S80H34DUPBA428
100	34	105x80	80x60	11x9	36	124	180	07H1S100H34DUPBA428
100	34	105x80	80x60	11x9	36	127	180	07H1S/S100H34DUPBA428
125	36	105x80	80x60	11x9	36	154	250	07H1S125H36DUPBA5210

Swivel Castor With Total Lock And Bolt Hole




									Order number
80	34	105x80	80x60	11x9	36	129	99	150	07H1TB80H34DUPBA428
100	34	105x80	80x60	11x9	40	132	124	180	07H1TB100H34DUPBA428
100	34	105x80	80x60	11x9	40	132	127	180	07H1TB/S100H34DUPBA428
125	36	105x80	80x60	11x9	40	134	154	250	07H1TB125H36DUPBA5210

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, roller bearing



-20 / +60°C

4 KM/H

150 - 350 KG

100 - 235 MM

Swivel Castor



								Order number
80	34	105x80	80x60	11x9	36	100	150	07P1S80B34BPARX4012
100	36	105x80	80x60	11x9	36	125	180	07P1S100B36BPARX4012
100	36	105x80	80x60	11x9	36	128	180	07P1S/S100B36BPARX4012
125	40	105x80	80x60	11x9	36	155	250	07P1S125B40BPARX5015
160	40	135x110	105x80	13.5x11	52	190	300	07P1S160B40BPARX6020
200	46	135x110	105x80	13.5x11	54	235	350	07P1S200B46BPARX6020

Fixed Castor



							Order number
80	34	102x87	80x60	11x9	100	150	07P1F80B34BPARX4012
100	36	102x87	80x60	11x9	125	180	07P1F100B36BPARX4012
100	36	102x87	80x60	11x9	128	180	07P1F/S100B36BPARX4012
125	40	102x87	80x60	11x9	155	250	07P1F125B40BPARX5015
160	40	135x114	105x80	13.5x11	190	300	07P1F160B40BPARX6020
200	46	135x114	105x80	13.5x11	235	350	07P1F200B46BPARX6020

Swivel Castor With Total Lock




									Order number
80	34	105x80	80x60	11x9	36	129	100	150	07P1TB80B34BPARG4012
100	36	105x80	80x60	11x9	40	132	125	180	07P1TB100B36BPARG4012
100	36	105x80	80x60	11x9	40	132	128	180	07P1TB/S100B36BPARG4012
125	40	105x80	80x60	11x9	40	134	155	250	07P1TB125B40BPARG5015
160	40	135x110	105x80	13.5x11	60	203	190	300	07P1TB160B40BPARG6020
200	46	135x110	105x80	13.5x11	60	203	235	350	07P1TB200B46BPARG6020

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, roller bearing



Swivel Castor With Bolt Hole

						Order number
80	34	36	φ10.5/φ13	99	150	07H1S80B34BP
100	36	36	φ10.5/φ13	124	180	07H1S100B36BP
125	40	36	φ10.5/φ13	154	250	07H1S125B40BP
160	40	52	φ16	185	300	07H1S160B40BP
200	46	54	φ16	230	350	07H1S200B46BP

Swivel Castor With Bolt Hole And Total Lock

							Order number
80	34	36	φ10.5/φ13	129	99	150	07H1TB80B34BP
100	36	40	φ10.5/φ13	132	124	180	07H1TB100B36BP
125	40	40	φ10.5/φ13	134	154	250	07H1TB125B40BP
160	40	60	φ16	203	185	300	07H1TB160B40BP
200	46	60	φ16	203	230	350	07H1TB200B46BP


Swivel Castor With Front Lock

										Order number
	160	40	135x110	105x80	13.5x11	52	154	190	300	07P1FB160B40BP
	200	46	135x110	105x80	13.5x11	54	154	235	350	07P1FB200B46BP

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head, with central lock
Wheel: white injection polyamide, roller bearing



Swivel Castor With Directional Lock

								Order number	
	160	40	135x110	105x80	13.5x11	52	190	300	07P1DB160B40BP
	200	46	135x110	105x80	13.5x11	54	235	350	07P1DB200B46BP

Swivel Castor With Central Lock

									Order number	
	160	40	135x110	105x80	13.5x11	52	156	190	300	07P1CB160B40BP
	200	46	135x110	105x80	13.5x11	54	156	235	350	07P1CB200B46BP

Fixed Castor With Front Lock

							Order number
160	40	135x114	105x80	13.5x11	195	300	07P1F/FB160B40BP


Swivel Castor With Directional Lock

										Order number
	80	34	105x80	80x60	11x9	36	145	100	150	07P1DB80B34BP
	100	36	105x80	80x60	11x9	36	145	125	180	07P1DB100B36BP

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, central ball bearing, blue samll plastic thread guards



-20 / +60°C

4 KM/H

150 - 250 KG

100 - 155 MM

Swivel Castor

								Order number
80	34	105x80	80x60	11x9	36	100	150	07P1S80B34BPABA428
100	36	105x80	80x60	11x9	36	125	180	07P1S100B36BPABA428
100	36	105x80	80x60	11x9	36	128	180	07P1S/S100B36BPABA428
125	40	105x80	80x60	11x9	36	155	250	07P1S125B40BPABA5210

Fixed Castor

							Order number	
	80	34	102x87	80x60	11x9	100	150	07P1F80B34BPABA428
	100	36	102x87	80x60	11x9	125	180	07P1F100B36BPABA428
	100	36	102x87	80x60	11x9	128	180	07P1F/S100B36BPABA428
	125	40	102x87	80x60	11x9	155	250	07P1F125B40BPABA5210


Swivel Castor With Total Lock

								Order number
80	34	105x80	80x60	11x9	36	129	150	07P1TB80B34BPABA428
100	36	105x80	80x60	11x9	40	132	180	07P1TB100B36BPABA428
100	36	105x80	80x60	11x9	40	132	180	07P1TB/S100B36BPABA428
125	40	105x80	80x60	11x9	40	134	250	07P1TB125B40BPABA5210

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, central ball bearing, blue samll plastic thread guards



-20 / +60°C

4 KM/H

150 - 250 KG

99 - 154 MM

Swivel Castor With Bolt Hole

							Order number
	80	34	36	φ10.5/φ13	99	150	07H1S80B34BPABA428
	100	36	36	φ10.5/φ13	124	180	07H1S100B36BPABA428
	100	36	36	φ10.5/φ13	127	180	07H1S/S100B36BPABA428
	125	40	36	φ10.5/φ13	154	250	07H1S125B40BPABA5210

Swivel Castor With Bolt Hole And Total Lock


							Order number
80	34	36	φ10.5/φ13	129	99	150	07H1TB80B34BPABA428
100	36	40	φ10.5/φ13	132	124	180	07H1TB100B36BPABA428
100	36	40	φ10.5/φ13	132	127	180	07H1TB/S100B36BPABA428
125	40	40	φ10.5/φ13	134	154	250	07H1TB125B40BPABA5210

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



Swivel Castor



								Order number
80	36	105x80	80x60	11x9	40	108	150	09P1S80A36CEPDX4015
100	36	105x80	80x60	11x9	40	132	180	09P1S100A36CEPDX4015
125	36	105x80	80x60	11x9	40	155	230	09P1S125A36CEPDX5015
160	50	135x110	105x80	13.5x11	52	190	350	09P1S160A50CEPDX6020
160	50	135x110	105x80	13.5x11	52	200	350	09P1S/S160A50CEPDX6020
200	50	135x110	105x80	13.5x11	54	235	400	09P1S200A50CEPDX6020
200	50	135x110	105x80	13.5x11	54	245	400	09P1S/S200A50CEPDX6020

Fixed Castor



							Order number
80	36	105x80	80x60	11x9	108	150	09P1F80A36CEPDX4015
100	36	105x80	80x60	11x9	132	180	09P1F100A36CEPDX4015
125	36	105x80	80x60	11x9	155	230	09P1F125A36CEPDX5015
160	50	135x110	105x80	13.5x11	190	350	09P1F160A50CEPDX6020
160	50	135x110	105x80	13.5x11	200	350	09P1F/S160A50CEPDX6020
200	50	135x110	105x80	13.5x11	235	400	09P1F200A50CEPDX6020
200	50	135x110	105x80	13.5x11	245	400	09P1F/S200A50CEPDX6020

Swivel Castor With Total Lock




								Order number
80	36	105x80	80x60	11x9	40	120	108	09P1TB80A36CEPDX4015
100	36	105x80	80x60	11x9	40	122	132	09P1TB100A36CEPDX4015
125	36	105x80	80x60	11x9	40	122	155	09P1TB125A36CEPDX5015
160	50	135x110	105x80	13.5x11	60	199	190	09P1TB160A50CEPDX6020
160	50	135x110	105x80	13.5x11	60	199	200	09P1TB/S160A50CEPDX6020
200	50	135x110	105x80	13.5x11	60	199	235	09P1TB200A50CEPDX6020
200	50	135x110	105x80	13.5x11	60	199	245	09P1TB/S200A50CEPDX6020

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread two ball bearings



Swivel Castor With Bolt Hole



						Order number
80	36	40	φ10.5/φ13	108	150	09H1S80A36CEPDX4015
100	36	40	φ10.5/φ13	132	180	09H1S100A36CEPDX4015
125	36	40	φ10.5/φ13	155	230	09H1S125A36CEPDX5015

Swivel Castor With Bolt Hole And Total Lock



								Order number
80	36	105x80	80x60	φ10.5/φ13	40	120	108	09H1TB80A36CEPDX4015
100	36	105x80	80x60	φ10.5/φ13	40	122	132	09H1TB100A36CEPDX4015
125	36	105x80	80x60	φ10.5/φ13	40	122	155	09H1TB125A36CEPDX5015

Swivel Castor With Front Lock



								Order number
160	50	135x110	105x80	13.5x11	52	154	190	09P1FB160A50CEPDX6020
160	50	135x110	105x80	13.5x11	52	154	200	09P1FB/S160A50CEPDX6020
200	50	135x110	105x80	13.5x11	54	154	235	09P1FB200A50CEPDX6020
200	50	135x110	105x80	13.5x11	54	154	245	09P1FB/S200A50CEPDX6020

Swivel Castor With Directional Lock





							Order number
160	50	135x110	105x80	13.5x11	52	190	09H1DB160A50CEPDX6020
160	50	135x110	105x80	13.5x11	52	200	09H1DB/S160A50CEPDX6020
200	50	135x110	105x80	13.5x11	54	235	09H1DB200A50CEPDX6020
200	50	135x110	105x80	13.5x11	54	245	09H1DB/S200A50CEPDX6020

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



Swivel Castor



								Order number
80	38	105x80	80x60	11x9	40	108	180	09P1S80C38JEADX4015
100	40	105x80	80x60	11x9	40	132	200	09P1S100C40JEADX4015
125	40	105x80	80x60	11x9	40	155	250	09P1S125C40JEADX5015
160	50	135x110	105x80	13.5x11	52	190	400	09P1S160C50JEADX6020
160	50	135x110	105x80	13.5x11	52	200	400	09P1S/S160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	450	09P1S200C50JEADX6020
200	50	135x110	105x80	13.5x11	54	245	450	09P1S/S200C50JEADX6020

Fixed Castor



							Order number
80	38	105x80	80x60	11x9	108	180	09P1F80C38JEADX4015
100	40	105x80	80x60	11x9	132	200	09P1F100C40JEADX4015
125	40	105x80	80x60	11x9	155	250	09P1F125C40JEADX5015
160	50	135x110	105x80	13.5x11	190	400	09P1F160C50JEADX6020
160	50	135x110	105x80	13.5x11	200	400	09P1F/S160C50JEADX6020
200	50	135x110	105x80	13.5x11	235	450	09P1F200C50JEADX6020
200	50	135x110	105x80	13.5x11	245	450	09P1F/S200C50JEADX6020

Swivel Castor With Total Lock





								Order number
80	38	105x80	80x60	11x9	40	120	180	09P1TB80C38JEADX4015
100	40	105x80	80x60	11x9	40	122	200	09P1TB100C40JEADX4015
125	40	105x80	80x60	11x9	40	122	250	09P1TB125C40JEADX5015
160	50	135x110	105x80	13.5x11	52	199	400	09P1TB160C50JEADX6020
160	50	135x110	105x80	13.5x11	52	199	400	09P1TB/S160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	199	450	09P1TB200C50JEADX6020
200	50	135x110	105x80	13.5x11	54	199	450	09P1TB/S200C50JEADX6020

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



Swivel Castor With Bolt Hole



								Order number
80	38	105x80	80x60	11x9	40	108	180	09H1S80C38JEADX4015
100	40	105x80	80x60	11x9	40	132	200	09H1S100C40JEADX4015
125	40	105x80	80x60	11x9	40	155	250	09H1S125C40JEADX5015

Swivel Castor With Total Lock And Bolt Hole



									Order number
80	38	105x80	80x60	11x9	40	120	108	180	09H1TB80C38JEADX4015
100	40	105x80	80x60	11x9	40	122	132	200	09H1TB100C40JEADX4015
125	40	105x80	80x60	11x9	40	122	155	250	09H1TB125C40JEADX5015

Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	52	154	190	400	09P1FB160C50JEADX6020
160	50	135x110	105x80	13.5x11	52	154	200	400	09P1FB/S160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	154	235	450	09P1FB200C50JEADX6020
200	50	135x110	105x80	13.5x11	54	154	245	450	09P1FB/S200C50JEADX6020

Swivel Castor With Directional Lock





								Order number
160	50	135x110	105x80	13.5x11	52	190	400	09P1DB160C50JEADX6020
160	50	135x110	105x80	13.5x11	52	200	400	09P1DB/S160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	450	09P1DB200C50JEADX6020
200	50	135x110	105x80	13.5x11	54	245	450	09P1DB/S200C50JEADX6020

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings, black samll plastic thread guards



Swivel Castor



								Order number
100	34	105x80	80x60	11x9	40	132	160	09P1S100A34CETDA428
125	40	105x80	80x60	11x9	40	155	250	09P1S125A34CETDA5210
160	46	135x110	105x80	13.5x9	52	190	300	09P1S160A46CETDA6212
160	46	135x110	105x80	13.5x9	52	200	300	09P1S/S160A46CETDA6212
200	46	135x110	105x80	13.5x9	54	235	400	09P1S200A46CETDA6212
200	46	135x110	105x80	13.5x9	54	245	400	09P1S/S200A46CETDA6212

Fixed Castor



							Order number
100	34	105x80	80x60	11x9	132	160	09P1F100A34CETDA428
125	40	105x80	80x60	11x9	155	250	09P1F125A40CETDA5210
160	46	135x110	105x80	13.5x9	190	300	09P1F160A46CETDA6212
160	46	135x110	105x80	13.5x9	200	300	09P1F/S160A46CETDA6212
200	46	135x110	105x80	13.5x9	235	400	09P1F200A46CETDA6212
200	46	135x110	105x80	13.5x9	245	400	09P1F/S200A46CETDA6212

Swivel Castor With Total Lock





									Order number
100	34	105x80	80x60	11x9	40	122	132	160	09P1TB100A34CETDA428
125	40	105x80	80x60	11x9	40	122	155	250	09P1TB125A40CETDA5210
160	46	135x110	105x80	13.5x9	60	199	190	300	07P1TB160A46CETDA6212
160	46	135x110	105x80	13.5x9	60	199	200	300	09P1TB/S160A46CETDA6212
200	46	135x110	105x80	13.5x9	60	199	235	400	09P1TB200A46CETDA6212
200	46	135x110	105x80	13.5x9	60	199	245	400	09P1TB/S200A46CETDA6212

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings, black samll plastic thread guards



Swivel Castor With Bolt Hole



								Order number
100	34	105x80	80x60	11x9	40	132	160	09H1S100A34CETDA428
125	40	105x80	80x60	11x9	40	155	250	09H1S125A34CETDA5210

Swivel Castor With Bolt Hole And Total Lock



									Order number
100	34	105x80	80x60	11x9	40	122	132	160	09H1TB100A34CETDA428
125	40	105x80	80x60	11x9	40	122	155	250	09H1TB125A40CETDA5210

Swivel Castor With Front Lock



									Order number
160	48	135x110	105x80	13.5x9	52	154	190	300	09P1FB160A46CETDA6212
160	48	135x110	105x80	13.5x9	52	154	200	300	09P1FB/S160A46CETDA6212
200	48	135x110	105x80	13.5x9	54	154	235	400	09P1FB200A46CETDA6212
200	48	135x110	105x80	13.5x9	54	154	245	400	09P1FB/S200A46CETDA6212

Swivel Castor With Directional Lock




								Order number
160	46	135x110	105x80	13.5x9	52	190	300	09P1DB160A46CETDA6212
160	46	135x110	105x80	13.5x9	52	200	300	09P1DB/S160A46CETDA6212
200	46	135x110	105x80	13.5x9	54	235	400	09P1DB200A46CETDA6212
200	46	135x110	105x80	13.5x9	54	245	400	09P1DB/S200A46CETDA6212

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black welded pressed steel wheel centre 68+5 shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

400 - 450 KG

190 - 245 MM

Swivel Castor



								Order number
160	50	135x110	105x80	13.5x11	52	190	400	09P1S160C50CESDX5425
160	50	135x110	105x80	13.5x11	52	200	400	09P1S/S160C50CESDX5425
200	50	135x110	105x80	13.5x11	54	235	450	09P1S200C50CESDX5420
200	50	135x110	105x80	13.5x11	54	245	450	09P1S/S200C50CESDX5420

Fixed Castor



							Order number
160	50	135x110	105x80	13.5x11	190	400	09P1F160C50CESDX5425
160	50	135x110	105x80	13.5x11	200	400	09P1F/S160C50CESDX5425
200	50	135x110	105x80	13.5x11	235	450	09P1F200C50CESDX5420
200	50	135x110	105x80	13.5x11	245	450	09P1F/S200C50CESDX5420

Swivel Castor With Total Lock




									Order number
160	50	135x110	105x80	13.5x11	60	199	190	400	09P1TB160C50CESDX5425
160	50	135x110	105x80	13.5x11	60	199	200	400	09P1TB/S160C50CESDX5425
200	50	135x110	105x80	13.5x11	60	199	235	450	09P1TB200C50CESDX5420
200	50	135x110	105x80	13.5x11	60	199	245	450	09P1TB/S200C50CESDX5420

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black welded pressed steel wheel centre 68+5 shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

400 - 450 KG

190 - 245 MM

Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	52	154	190	400	09P1FB160C50CESDX5425
160	50	135x110	105x80	13.5x11	52	154	200	400	09P1FB/S160C50CESDX5425
200	50	135x110	105x80	13.5x11	54	154	235	450	09P1FB200C50CESDX5420
200	50	135x110	105x80	13.5x11	54	154	245	450	09P1FB/S200C50CESDX5420

Swivel Castor With Directional Lock





								Order number
160	50	135x110	105x80	13.5x11	52	190	400	09P1DB160C50CESDX5425
160	50	135x110	105x80	13.5x11	52	200	400	09P1DB/S160C50CESDX5425
200	50	135x110	105x80	13.5x11	54	235	450	09P1DB200C50CESDX5420
200	50	135x110	105x80	13.5x11	54	245	450	09P1DB/S200C50CESDX5420

Green Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polyamide wheel centre
shore a 92 green injection polyurethane tread,
two ball bearings, green plastic samll thread guards



Swivel Castor

									Order number
	80	34	105x80	80x60	11x9	40	108	150	09P1S80H34DUPDA4208
	100	34	105x80	80x60	11x9	40	132	200	09P1S100H34DUPDA4208
	125	36	105x80	80x60	11x9	40	155	250	09P1S125H36DUPDA5210
	160	40	135x110	105x80	13.5x11	52	190	350	09P1S160H40DUPDA6212
	160	40	135x110	105x80	13.5x11	52	200	350	09P1S/S160H40DUPDA6212
	200	50	135x110	105x80	13.5x11	54	235	500	09P1S200H50DUPDA6212
	200	50	135x110	105x80	13.5x11	54	245	500	09P1S/S200H50DUPDA6212

Fixed Castor

								Order number
	80	34	105x80	80x60	11x9	108	150	09P1F18034DUPDA428
	100	34	105x80	80x60	11x9	132	200	09P1F100H34DUPDA428
	125	36	105x80	80x60	11x9	155	250	09P1F125H36DUPDA5210
	160	40	135x110	105x80	13.5x11	190	350	09P1F160H40DUPDA6212
	160	40	135x110	105x80	13.5x11	200	350	09P1F/S160H40DUPDA6212
	200	50	135x110	105x80	13.5x11	235	500	09P1F200H50DUPDA6212
	50	135x110	105x80	13.5x11	245	500	09P1F/S200H50DUPDA6212	

Swivel Castor With Total Lock



										Order number
	80	34	105x80	80x60	11x9	40	120	108	150	09P1TB80H34DUPDA4208
	100	34	105x80	80x60	11x9	40	122	132	200	09P1TB100H34DUPDA4208
	125	36	105x80	80x60	11x9	40	122	155	250	09P1TB125H36DUPDA5210
	160	40	135x110	105x80	13.5x11	60	199	190	350	09P1TB160H40DUPDA6212
	160	40	135x110	105x80	13.5x11	60	199	200	350	09P1TB/S160H40DUPDA6212
	200	50	135x110	105x80	13.5x11	60	199	235	500	09P1TB200H50DUPDA6212
	200	50	135x110	105x80	13.5x11	60	199	245	500	09P1TB/S200H50DUPDA6212

Green Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polyamide wheel centre
shore a 92 green injection polyurethane tread,
two ball bearings, green samll plastic thread guards



Swivel Castor With Bolt Hole

									Order number
	80	34	105x80	80x60	11x9	40	108	150	09H1S80H34DUPDA4208
	100	34	105x80	80x60	11x9	40	132	200	09H1S100H34DUPDA4208
	125	36	105x80	80x60	11x9	40	155	250	09H1S125H36DUPDA5210

Swivel Castor With Bolt Hole And Total Lock

										Order number
	80	34	105x80	80x60	11x9	40	120	108	150	09P1TB80H34DUPDA208
	100	34	105x80	80x60	11x9	40	122	132	200	09P1TB100H34DUPDA4208
	125	36	105x80	80x60	11x9	40	122	155	250	09P1TB125H36DUPDA5210

Swivel Castor With Front Lock

										Order number
	160	40	135x110	105x80	13.5x11	52	154	190	350	09P1FB160H40DUPDA6212
	160	40	135x110	105x80	13.5x11	52	154	200	350	09P1FB/S160H40DUPDA6212
	200	50	135x110	105x80	13.5x11	54	154	235	500	09P1FB200H50DUPDA6212
	200	50	135x110	105x80	13.5x11	54	154	245	500	09P1FB/S200H50DUPDA6212

Swivel Castor With Directional Lock


									Order number
	160	40	135x110	105x80	13.5x11	52	190	350	09P1DB160H40DUPDA6212
	160	40	135x110	105x80	13.5x11	52	200	350	09P1DB/S160H40DUPDA6212
	200	50	135x110	105x80	13.5x11	54	235	500	09P1DB200H50DUPDA6212
	200	50	135x110	105x80	13.5x11	54	245	500	09P1DB/S200H50DUPDA6212

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 92 brown polyurethane tread, two ball bearings



Swivel Castor



								Order number
80	38	105x80	80x60	11x9	40	108	200	09P1S80K38JUADX4015
100	38	105x80	80x60	11x9	40	132	250	09P1S100K38JUADX4015
125	38	105x80	80x60	11x9	40	155	300	09P1S125K38JUADX5015
160	50	135x110	105x80	13.5x11	52	190	500	09P1S160K50JUADX6020
160	50	135x110	105x80	13.5x11	52	200	600	09P1S/S160K50JUADX
200	50	135x110	105x80	13.5x11	54	235	500	09P1S200K50JUADX
200	50	135x110	105x80	13.5x11	54	245	600	09P1S/S200K50JUADX

Fixed Castor



							Order number
80	38	105x80	80x60	11x9	108	200	09P1F80K38JUADX4015
100	38	105x80	80x60	11x9	132	250	09P1F100K38JUADX4015
125	38	105x80	80x60	11x9	155	300	09P1F125K38JUADX5015
160	50	135x110	105x80	13.5x11	190	500	09P1F160K50JUADX6020
160	50	135x110	105x80	13.5x11	200	600	09P1F/S160K50JUADX6020
200	50	135x110	105x80	13.5x11	235	500	09P1F200K50JUADX6020
200	50	135x110	105x80	13.5x11	245	600	09P1F/S200K50JUADX6020

Swivel Castor With Total Lock




									Order number
80	38	105x80	80x60	11x9	40	120	108	200	09P1TB80K38JUADX4015
100	38	105x80	80x60	11x9	40	122	132	250	09P1TB100K38JUADX4015
125	38	105x80	80x60	11x9	40	122	155	300	09P1TB125K38JUADX5015
160	50	135x110	105x80	13.5x11	60	199	190	500	09P1TB160K50JUADX6020
160	50	135x110	105x80	13.5x11	60	199	200	600	09P1TB/S160K50JUADX6020
200	50	135x110	105x80	13.5x11	60	199	235	500	09P1TB200K50JUADX6020
200	50	135x110	105x80	13.5x11	60	199	245	600	09P1TB/S200K50JUADX6020

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 92 polyurethane tread, two ball bearings



Swivel Castor With Bolt Hole



								Order number
80	38	105x80	80x60	11x9	40	108	200	09H1S80K38JUADX4015
100	38	105x80	80x60	11x9	40	132	250	09H1S100K38JUADX4015
125	38	105x80	80x60	11x9	40	155	300	09H1S125K38JUADX5015

Swivel Castor With Total Lock And Bolt Hole



									Order number
80	38	105x80	80x60	11x9	40	120	108	200	09H1TB80K38JUADX4015
100	38	105x80	80x60	11x9	40	122	132	250	09H1TB100K38JUADX4015
125	38	105x80	80x60	11x9	40	122	155	300	09H1TB125K38JUADX5015

Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	52	154	190	500	09P1FB160K50JUADX6020
160	50	135x110	105x80	13.5x11	52	154	200	600	09P1FB/S160K50JUADX6020
200	50	135x110	105x80	13.5x11	54	154	235	500	09P1FB200K50JUADX6020
200	50	135x110	105x80	13.5x11	54	154	245	600	09P1FB/S200K50JUADX6020

Swivel Castor With Directional Lock




								Order number
160	50	135x110	105x80	13.5x11	52	190	500	09P1DB160K50JUADX6020
160	50	135x110	105x80	13.5x11	52	200	600	09P1DB/S160K50JUADX6020
200	50	135x110	105x80	13.5x11	54	235	500	09P1DB200K50JUADX6020
200	50	135x110	105x80	13.5x11	54	245	600	09P1DB/S200K50JUADX6020

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: sliver casting-iron wheel centre shore a 92 brown polyurethane tread, two ball bearings



Swivel Castor



								Order number
100	38	105x80	80x60	φ9	40	132	300	09P1S100K38JUIDX4015
125	38	105x80	80x60	φ9	40	155	350	09P1S125K38JUIDX5015
160	50	135x110	105x80	φ11	52	190	500	09P1S160K50JUIDX6020
160	50	135x110	105x80	φ11	52	200	600	09P1S/S160K50JUIDX6020
200	50	135x110	105x80	φ11	54	235	500	09P1S200K50JUIDX6020
200	50	135x110	105x80	φ11	54	245	600	09P1S/S200K50JUIDX6020

Fixed Castor



							Order number
100	38	105x80	80x60	φ9	132	300	09P1F100K38JUIDX4015
125	38	105x80	80x60	φ9	155	350	09P1F125K38JUIDX5015
160	50	135x110	105x80	φ11	190	500	09P1F160K50JUIDX6020
160	50	135x110	105x80	φ11	200	600	09P1F/S160K50JUIDX6020
200	50	135x110	105x80	φ11	235	500	09P1F200K50JUIDX6020
200	50	135x110	105x80	φ11	245	600	09P1F/S200K50JUIDX6020

Swivel Castor With Total Lock





								Order number
100	38	105x80	80x60	φ9	40	122	300	09P1TB100K38JUIDX4015
125	38	105x80	80x60	φ9	40	122	350	09P1TB125K38JUIDX5015
160	50	135x110	105x80	φ11	60	199	500	09P1TB160K50JUIDX6020
160	50	135x110	105x80	φ11	60	199	200	09P1TB/S160K50JUIDX6020
200	50	135x110	105x80	φ11	60	199	235	09P1TB200K50JUIDX6020
200	50	135x110	105x80	φ11	60	199	245	09P1TB/S200K50JUIDX6020

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black casting-iron wheel centre shore a 92 brown polyurethane tread, two ball bearings



Swivel Castor With Bolt Hole



								Order number
100	38	105x80	80x60	φ9	40	132	300	09H1S100K38CUIDX4015
125	38	105x80	80x60	φ9	40	155	350	09H1S125K38CUIDX5015

Swivel Castor With Bolt Hole And Total Lock



									Order number
100	38	105x80	80x60	φ9	40	122	132	300	09H1TB100K38CUIDX4015
125	38	105x80	80x60	φ9	40	122	155	350	09H1TB125K38CUIDX5015

Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	φ11	52	154	190	500	09P1FB160K50JUIDX6020
160	50	135x110	105x80	φ11	52	154	200	600	09P1FB/S160K50JUIDX6020
200	50	135x110	105x80	φ11	54	154	235	500	09P1FB200K50JUIDX6020
200	50	135x110	105x80	φ11	54	154	245	600	09P1FB/S200K50JUIDX6020

Swivel Castor With Directional Lock




								Order number
160	50	135x110	105x80	φ11	52	190	500	09P1DB160K50JUIDX6020
160	50	135x110	105x80	φ11	52	200	600	09P1DB/S160K50JUIDX6020
200	50	135x110	105x80	φ11	54	235	500	09P1DB200K50JUIDX6020
200	50	135x110	105x80	φ11	54	245	600	09P1DB/S200K50JUIDX6020

Green Elastic Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



Swivel Castor



								Order number
80	38	105x80	80x60	11x9	40	108	220	09P1S80H38JUHDX4015
100	40	105x80	80x60	11x9	40	132	270	09P1S100H40JUHDX4015
125	40	105x80	80x60	11x9	40	155	310	09P1S125H40JUHDX5015
160	50	135x110	105x80	13.5x11	52	190	500	09P1S160H50JUHDX6020
160	50	135x110	105x80	13.5x11	52	200	500	09P1S/S160H50JUHDX6020
200	50	135x110	105x80	13.5x11	54	235	500	09P1S200H50JUHDX6020
200	50	135x110	105x80	13.5x11	54	245	600	09P1S/S200H50JUHDX6020

Fixed Castor



							Order number
80	38	105x80	80x60	11x9	108	220	09P1F80H38JUHDX4015
100	40	105x80	80x60	11x9	132	270	09P1F100H40JUHDX4015
125	40	105x80	80x60	11x9	155	310	09P1F125H40JUHDX5015
160	50	135x110	105x80	13.5x11	190	500	09P1F160H50JUHDX6020
160	50	135x110	105x80	13.5x11	200	500	09P1F/S160H50JUHDX6020
200	50	135x110	105x80	13.5x11	235	500	09P1F200H50JUHDX6020
200	50	135x110	105x80	13.5x11	245	600	09P1F/S200H50JUHDX6020

Swivel Castor With Total Lock




									Order number
80	38	105x80	80x60	11x9	40	120	108	220	09P1TB80H38JUHDX4015
100	40	105x80	80x60	11x9	40	122	132	270	09P1TB100H40JUHDX4015
125	40	105x80	80x60	11x9	40	122	155	310	09P1TB125H40JUHDX5015
160	50	135x110	105x80	13.5x11	60	199	190	500	09P1TB160H50JUHDX6020
160	50	135x110	105x80	13.5x11	60	199	200	500	09P1TB/S160H50JUHDX6020
200	50	135x110	105x80	13.5x11	60	199	235	500	09P1TB200H50JUHDX6020
200	50	135x110	105x80	13.5x11	60	199	245	600	09P1TB/S200H50JUHDX6020

Green Elastic Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



Swivel Castor With Bolt Hole



								Order number
80	38	105x80	80x60	11x9	40	108	220	09P1S80H38JUHDX4015
100	40	105x80	80x60	11x9	40	132	270	09P1S100H40JUHDX4015
125	40	105x80	80x60	11x9	40	155	310	09P1S125H40JUHDX5015

Swivel Castor With Bolt Hole And Total Lock



									Order number
80	38	105x80	80x60	11x9	40	120	108	220	09P1TB80H38JUHDX4015
100	40	105x80	80x60	11x9	40	122	132	270	09P1TB100H40JUHDX4015
125	40	105x80	80x60	11x9	40	122	155	310	09P1TB125H40JUHDX5015

Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	52	154	190	500	09P1FB160H50JUHXD6020
160	50	135x110	105x80	13.5x11	52	154	200	500	09P1FB/S160H50JUHXD6020
200	50	135x110	105x80	13.5x11	54	154	235	500	09P1FB200H50JUHXD6020
200	50	135x110	105x80	13.5x11	54	154	245	600	09P1FB/S200H50JUHXD6020

Swivel Castor With Directional Lock




								Order number
160	50	135x110	105x80	13.5x11	52	190	500	09P1DB160H50JUHDX6020
160	50	135x110	105x80	13.5x11	52	200	500	09P1DB/S160H50JUHDX6020
200	50	135x110	105x80	13.5x11	54	235	500	09P1DB200H50JUHDX6020
200	50	135x110	105x80	13.5x11	54	245	600	09P1DB/S200H50JUHDX6020

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, two ball bearings



-20 / +60°C

4 KM/H

350 - 600 KG

132 - 245 MM

Swivel Castor



								Order number
100	38	105x80	80x60	11x9	40	132	350	09P1S100B38BPHDX4015
125	38	105x80	80x60	11x9	40	155	350	09P1S125B38BPHDX5015
160	50	135x110	105x80	13.5x11	52	190	500	09P1S160B50BPHDX6020
160	50	135x110	105x80	13.5x11	52	200	500	09P1S/S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	235	500	09P1S200B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	245	600	09P1S/S200B50BPHDX6020

Fixed Castor



							Order number
100	38	105x80	80x60	11x9	132	350	09P1F100B38BPHDX4015
125	38	105x80	80x60	11x9	155	350	09P1F125B38BPHDX
160	50	135x110	105x80	13.5x11	190	500	09P1F160B50BPHDX6020
160	50	135x110	105x80	13.5x11	200	500	09P1F/S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	235	500	09P1F200B50BPHDX6020
200	50	135x110	105x80	13.5x11	245	600	09P1F/S200B50BPHDX6020

Swivel Castor With Total Lock




									Order number
100	38	105x80	80x60	11x9	40	122	132	350	09P1TB100B38BPHDX4015
125	38	105x80	80x60	11x9	40	122	155	350	09P1TB125B38BPHDX
160	50	135x110	105x80	13.5x11	60	199	190	500	09P1TB160B50BPHDX6020
160	50	135x110	105x80	13.5x11	60	199	200	500	09P1TB/S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	60	199	235	500	09P1TB200B50BPHDX6020
200	50	135x110	105x80	13.5x11	60	199	245	600	09P1TB/S200B50BPHDX6020

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, two ball bearings



-20 / +60°C

4 KM/H

270 - 600 KG

132 - 245 MM

Swivel Castor With Bolt Hole



							Order number	
100	38	105x80	80x60	11x9	40	132	270	09P1S100B38BPHDX4015
125	38	105x80	80x60	11x9	40	155	310	09P1S125B38BPHDX5015

Swivel Castor With Total Lock And Bolt Hole



									Order number
100	38	105x80	80x60	11x9	40	122	132	270	09P1TB100B38BPHDX4015
125	38	105x80	80x60	11x9	40	122	155	310	09P1TB125B38BPHDX5015

Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	52	154	190	500	09P1FB160B50BPHDX6020
160	50	135x110	105x80	13.5x11	52	154	200	500	09P1FB/S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	154	235	500	09P1FB200B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	154	245	600	09P1FB/S200B50BPHDX6020

Swivel Castor With Directional Lock



								Order number
160	50	135x110	105x80	13.5x11	52	190	500	09P1DB160B50BPHDX6020
160	50	135x110	105x80	13.5x11	52	200	500	09P1DB/S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	235	500	09P1DB200B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	245	600	09P1DB/S200B50BPHDX6020