





Super heavy Duty Industrial Castors



Blue Elastic Rubber Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



Swivel Castor

									Order number
	100	50	135x110	105x80	13.5x11	42	148	240	23P1S100A50CEPDX6015
	125	50	135x110	105x80	13.5x11	50	170	270	23P1S125A50CEPDX6020
	150	50	135x110	105x80	13.5x11	57	200	300	23P1S150A50CEPDX6020
	160	50	135x110	105x80	13.5x11	57	205	350	23P1S160A50CEPDX6020
	200	50	135x110	105x80	13.5x11	65	245	400	23P1S200A50CEPDX6020
	250	50	135x110	105x80	13.5x11	80	305	550	23P1S250A50CEPDX6020

Fixed Castor

								Order number
	100	50	135x110	105x80	13.5x11	148	240	23P1F100A50CEPDX6015
	125	50	135x110	105x80	13.5x11	170	270	23P1F125A50CEPDX6020
	150	50	135x110	105x80	13.5x11	200	300	23P1F150A50CEPDX6020
	160	50	135x110	105x80	13.5x11	205	350	23P1F160A50CEPDX6020
	200	50	135x110	105x80	13.5x11	245	400	23P1F200A50CEPDX6020
	250	50	135x110	105x80	13.5x11	305	550	23P1F250A50CEPDX6020

Swivel Castor With Front Lock

									Order number	
	100	50	135x110	105x80	13.5x11	42	148.5	148	240	23P1FB100A50CEPDX6015
	125	50	135x110	105x80	13.5x11	50	148.5	170	270	23P1FB125A50CEPDX6020
	150	50	135x110	105x80	13.5x11	57	148.5	200	300	23P1FB150A50CEPDX6020
	160	50	135x110	105x80	13.5x11	57	148.5	205	350	23P1FB160A50CEPDX6020
	200	50	135x110	105x80	13.5x11	65	148.5	245	400	23P1FB200A50CEPDX6020
	250	50	135x110	105x80	13.5x11	80	148.5	305	550	23P1FB250A50CEPDX6020


Swivel Castor With Directional Lock

								Order number	
	100	50	135x110	105x80	13.5x11	42	148	240	23P1DB100A50CEPDX6015
	125	50	135x110	105x80	13.5x11	50	170	270	23P1DB125A50CEPDX6020
	150	50	135x110	105x80	13.5x11	57	200	300	23P1DB150A50CEPDX6020
	160	50	135x110	105x80	13.5x11	57	205	350	23P1DB160A50CEPDX6020
	200	50	135x110	105x80	13.5x11	65	245	400	23P1DB200A50CEPDX6020
	250	50	135x110	105x80	13.5x11	80	305	550	23P1DB250A50CEPDX6020

Black Elastic Rubber Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



Swivel Castor

									Order number
	125	50	135x110	105x80	13.5x11	50	170	280	23P1S125C50JEADX6020
	150	50	135x110	105x80	13.5x11	57	200	300	23P1S150C50JEADX6020
	160	50	135x110	105x80	13.5x11	57	205	350	23P1S160C50JEADX6020
	200	50	135x110	105x80	13.5x11	65	245	450	23P1S200C50JEADX6020
	250	50	135x110	105x80	13.5x11	80	305	550	23P1S200C50JEADX6020

Fixed Castor

								Order number
	125	50	105x80	80x60	13.5x11	170	280	23P1F125C50JEADX6020
	150	50	135x110	105x80	13.5x11	200	300	23P1F150C50JEADX6020
	160	50	135x110	105x80	13.5x11	205	350	23P1F160C50JEADX6020
	200	50	135x110	105x80	13.5x11	245	450	23P1F200C50JEADX6020
	250	50	135x110	105x80	13.5x11	305	550	23P1F200C50JEADX6020

Swivel Castor With Front Lock

									Order number	
	125	50	135x110	105x80	13.5x11	50	148.5	170	280	23P1FB125C50JEADX6020
	150	50	135x110	105x80	13.5x11	57	148.5	200	300	23P1FB150C50JEADX6020
	160	50	135x110	105x80	13.5x11	57	148.5	205	350	23P1FB160C50JEADX6020
	200	50	135x110	105x80	13.5x11	65	148.5	245	450	23P1FB200C50JEADX6020
	250	50	135x110	105x80	13.5x11	80	148.5	305	550	23P1FB200C50JEADX6020


Swivel Castor With Directional Lock

								Order number	
	125	50	135x110	105x80	13.5x11	50	170	280	23P1DB125C50JEADX6020
	150	50	135x110	105x80	13.5x11	57	200	300	23P1DB150C50JEADX6020
	160	50	135x110	105x80	13.5x11	57	205	350	23P1DB160C50JEADX6020
	200	50	135x110	105x80	13.5x11	65	245	450	23P1DB200C50JEADX6020
	250	50	135x110	105x80	13.5x11	80	305	550	23P1DB250C50JEADX6020

Black Elastic Rubber Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: black welded pressed steel wheel centre 68+5 shore a black elastic rubber tread, two ball bearings



-20 / +60°C

4 KM/H

205 - 245 KG

350 - 450MM

Swivel Castor

								Order number
	160	50	135x110	105x80	13.5x11	57	205	23P1S160C50CESDX5620
	200	50	135x110	105x80	13.5x11	65	245	23P1S200C50CESDX5620

Fixed Castor

								Order number
	160	50	135x110	105x80	13.5x11	205	350	23P1F160C50CESDX5620
	200	50	135x110	105x80	13.5x11	245	450	23P1F200C50CESDX5620

Swivel Castor With Front Lock

									Order number	
	160	50	135x110	105x80	13.5x11	57	148.5	205	350	23P1FB160C50CESDX5620
	200	50	135x110	105x80	13.5x11	65	148.5	245	450	23P1FB200C50CESDX5620


Swivel Castor With Directional Lock

								Order number	
	160	50	135x110	105x80	13.5x11	57	205	350	23P1DB160C50CESDX5620
	200	50	135x110	105x80	13.5x11	65	245	450	23P1DB200C50CESDX5620

Green Polyurethane Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: grey polyamide wheel centre shore a 92 green injection polyurethane tread two ball bearings, green samll plastic thread guards



-20 / +60°C

4 KM/H

300 - 500 KG

200 - 245MM

Swivel Castor

								Order number	
	150	40	135x110	105x80	13.5x11	57	200	300	23P1S150H40DUPDA6212
	160	40	135x110	105x80	13.5x11	57	205	350	23P1S160H40DUPDA6212
	200	50	135x110	105x80	13.5x11	65	245	500	23P1S200H50DUPDA6212

Fixed Castor

								Order number
	150	40	135x110	105x80	13.5x11	200	300	23P1F150H40DUPDA6212
	160	40	135x110	105x80	13.5x11	205	350	23P1F160H40DUPDA6212
	200	50	135x110	105x80	13.5x11	245	500	23P1F200H50DUPDA6212

Swivel Castor With Front Lock



         <th>Order number</th>	Order number								
150	40	135x110	105x80	13.5x11	57	148.5	200	300	23P1FB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	57	148.5	205	350	23P1FB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	65	148.5	245	500	23P1FB200H50DUPDA6212


Swivel Castor With Directional Lock

								Order number	
	150	40	135x110	105x80	13.5x11	57	200	300	23P1DB150H40DUPDA6212
	160	40	135x110	105x80	13.5x11	57	205	350	23P1DB160H40DUPDA6212
	200	50	135x110	105x80	13.5x11	65	245	500	23P1DB200H50DUPDA6212

Green Elastic Polyurethane Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



Swivel Castor

									Order number
	160	50	135x110	105x80	13.5x11	57	205	510	23P1S160H50JHUDX6020
	200	50	135x110	105x80	13.5x11	65	245	600	23P1S200H50JHUDX6020
	250	50	135x110	105x80	13.5x11	80	305	700	23P1S250H50JHUDX6020

Fixed Castor

								Order number
	160	50	135x110	105x80	13.5x11	205	510	23P1F160H50JHUDX6020
	200	50	135x110	105x80	13.5x11	245	600	23P1F200H50JHUDX6020
	250	50	135x110	105x80	13.5x11	305	700	23P1F250H50JHUDX6020

Swivel Castor With Front Lock

									Order number
160	50	135x110	105x80	13.5x11	57	148.5	205	510	23P1FB160H50JHUDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	600	23P1FB200H50JHUDX6020
250	50	135x110	105x80	13.5x11	80	148.5	305	700	23P1FB250H50JHUDX6020


Swivel Castor With Directional Lock

								Order number
160	50	135x110	105x80	13.5x11	57	205	510	23P1DB160H50JHUDX6020
200	50	135x110	105x80	13.5x11	65	245	600	23P1DB200H50JHUDX6020
250	50	135x110	105x80	13.5x11	80	305	700	23P1DB250H50JHUDX6020

Round Green Elastic Polyurethane Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: silvery casting-aluminium wheel centre shore a 85 round green elastic polyurethane tread, two ball bearings



Swivel Castor

								Order number
160	50	135x110	105x80	13.5x11	57	205	510	23P1S160H50JURDX6020
200	50	135x110	105x80	13.5x11	65	245	600	23P1S200H50JURDX6020

Fixed Castor

							Order number
160	50	135x110	105x80	13.5x11	205	510	23P1F160H50JURDX6020
200	50	135x110	105x80	13.5x11	245	600	23P1F200H50JURDX6020

Swivel Castor With Front Lock

									Order number
160	50	135x110	105x80	13.5x11	57	148.5	205	510	23P1FB160H50JURDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	600	23P1FB200H50JURDX6020


Swivel Castor With Directional Lock

								Order number
160	50	135x110	105x80	13.5x11	57	205	510	23P1DB160H50JURDX6020
200	50	135x110	105x80	13.5x11	65	245	600	23P1DB200H50JURDX6020

Brwon Polyurethane Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: silvery casting-aluminium wheel centre shore a 92 polyurethane tread, two ball bearings



Swivel Castor

									Order number
	125	50	135x110	80x60	13.5x11	50	170	400	23P1S125K50JUADX6020
	150	50	135x110	105x80	13.5x11	57	200	500	23P1S150K50JUADX6020
	160	50	135x110	105x80	13.5x11	57	205	600	23P1S160K50JUADX6020
	200	50	135x110	105x80	13.5x11	65	245	800	23P1S200K50JUADX6020
	250	50	135x110	105x80	13.5x11	80	305	1000	23P1S250K50JUADX6020

Fixed Castor

								Order number
	125	50	135x110	80x60	13.5x11	170	400	23P1F125K50JUADX6020
	150	50	135x110	105x80	13.5x11	200	500	23P1F150K50JUADX6020
	160	50	135x110	105x80	13.5x11	205	600	23P1F160K50JUADX6020
	200	50	135x110	105x80	13.5x11	245	800	23P1F200K50JUADX6020
	250	50	135x110	105x80	13.5x11	305	1000	23P1F250K50JUADX6020

Swivel Castor With Front Lock

									Order number
125	50	135x110	80x60	13.5x11	50	148.5	170	400	23P1FB125K50JUADX6020
150	50	135x110	105x80	13.5x11	57	148.5	200	500	23P1FB150K50JUADX6020
160	50	135x110	105x80	13.5x11	57	148.5	205	600	23P1FB160K50JUADX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	800	23P1FB200K50JUADX6020
250	50	135x110	105x80	13.5x11	80	148.5	305	1000	23P1FB250K50JUADX6020


Swivel Castor With Directional Lock

								Order number
125	50	135x110	80x60	13.5x11	50	170	400	23P1DB125K50JUADX6020
150	50	135x110	105x80	13.5x11	57	200	500	23P1DB150K50JUADX6020
160	50	135x110	105x80	13.5x11	57	205	600	23P1DB160K50JUADX6020
200	50	135x110	105x80	13.5x11	65	245	800	23P1DB200K50JUADX6020
250	50	135x110	105x80	13.5x11	80	305	1000	23P1DB250K50JUADX6020

Brwon Polyurethane Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: black casting-iron wheel centre 92 shore a brwon polyurethane tread, two ball bearings



Swivel Castor

									Order number
	125	50	135x110	105x80	13.5x11	50	170	600	23P1S125K50JUIDX6020
	150	50	135x110	105x80	13.5x11	57	200	800	23P1S150K50JUIDX6020
	160	50	135x110	105x80	13.5x11	57	205	850	23P1S160K50JUIDX6020
	200	50	135x110	105x80	13.5x11	65	245	1000	23P1S200K50JUIDX6020
	250	50	135x110	105x80	13.5x11	80	305	1300	23P1S250K50JUIDX6020

Fixed Castor

								Order number
	125	50	135x110	105x80	13.5x11	170	600	23P1F125K50JUIDX6020
	150	50	135x110	105x80	13.5x11	200	800	23P1F150K50JUIDX6020
	160	50	135x110	105x80	13.5x11	205	850	23P1F160K50JUIDX6020
	200	50	135x110	105x80	13.5x11	245	1000	23P1F200K50JUIDX6020
	250	50	135x110	105x80	13.5x11	305	1300	23P1F250K50JUIDX6020

Swivel Castor With Front Lock

									Order number
125	50	135x110	105x80	13.5x11	50	148.5	170	600	23P1FB125K50JUIDX6020
150	50	135x110	105x80	13.5x11	57	148.5	200	800	23P1FB150K50JUIDX6020
160	50	135x110	105x80	13.5x11	57	148.5	205	850	23P1FB160K50JUIDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	1000	23P1FB200K50JUIDX6020
250	50	135x110	105x80	13.5x11	80	148.5	305	1300	23P1FB250K50JUIDX6020


Swivel Castor With Directional Lock

								Order number
125	50	135x110	105x80	13.5x11	50	170	600	23P1DB125K50JUIDX6020
150	50	135x110	105x80	13.5x11	57	200	800	23P1DB150K50JUIDX6020
160	50	135x110	105x80	13.5x11	57	205	850	23P1DB160K50JUIDX6020
200	50	135x110	105x80	13.5x11	65	245	1000	23P1DB200K50JUIDX6020
250	50	135x110	105x80	13.5x11	80	305	1300	23P1DB250K50JUIDX6020

White Polyamide Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: white injection polyamide, two ball bearings



-20 / +60°C

4 KM/H

700 - 800 KG

170 - 245MM

Swivel Castor

									Order number
	125	50	135x110	105x80	13.5x11	50	170	700	23P1S125B50BPHDX6020
	150	50	135x110	105x80	13.5x11	57	200	800	23P1S150B50BPHDX6020
	160	50	135x110	105x80	13.5x11	57	205	800	23P1S160B50BPHDX6020
	200	50	135x110	105x80	13.5x11	65	245	800	23P1S200B50BPHDX6020

Fixed Castor

								Order number
	125	50	135x110	105x80	13.5x11	170	700	23P1F125B50BPHDX6020
	150	50	135x110	105x80	13.5x11	200	800	23P1F150B50BPHDX6020
	160	50	135x110	105x80	13.5x11	205	800	23P1F160B50BPHDX6020
	200	50	135x110	105x80	13.5x11	245	800	23P1F200B50BPHDX6020

Swivel Castor With Front Lock

									Order number
125	50	135x110	105x80	13.5x11	50	148.5	170	700	23P1FB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	57	148.5	200	800	23P1FB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	57	148.5	205	800	23P1FB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	800	23P1FB200B50BPHDX6020


Swivel Castor With Directional Lock

								Order number
125	50	135x110	105x80	13.5x11	50	170	700	23P1DB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	57	200	800	23P1DB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	57	205	800	23P1DB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	65	245	800	23P1DB200B50BPHDX6020

White Polyamide Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: white casting-polyamide, two ball bearings



-20 / +60°C

4 KM/H

1500 KG

148 - 305MM

Swivel Castor

									Order number
	100	50	135x110	105x80	13.5x11	42	148	1500	23P1S100B50BPCDX6020
	125	50	135x110	105x80	13.5x11	50	170	1500	23P1S125B50BPCDX6020
	150	50	135x110	105x80	13.5x11	57	200	1500	23P1S150B50BPCDX6020
	160	50	135x110	105x80	13.5x11	57	205	1500	23P1S160B50BPCDX6020
	200	50	135x110	105x80	13.5x11	65	245	1500	23P1S200B50BPCDX6020
	250	50	135x110	105x80	13.5x11	80	305	1500	23P1S250B50BPCDX6020

Fixed Castor

								Order number
	100	50	135x110	105x80	13.5x11	148	1500	23P1F100B50BPCDX6020
	125	50	135x110	105x80	13.5x11	170	1500	23P1F125B50BPCDX6020
	150	50	135x110	105x80	13.5x11	200	1500	23P1F150B50BPCDX6020
	160	50	135x110	105x80	13.5x11	205	1500	23P1F160B50BPCDX6020
	200	50	135x110	105x80	13.5x11	245	1500	23P1F200B50BPCDX6020
	250	50	135x110	105x80	13.5x11	305	1500	23P1F250B50BPCDX6020

Swivel Castor With Front Lock

									Order number
100	50	135x110	105x80	13.5x11	42	148.5	148	1500	23P1FB100B50BPCDX6020
125	50	135x110	105x80	13.5x11	50	148.5	170	1500	23P1FB125B50BPCDX6020
150	50	135x110	105x80	13.5x11	57	148.5	200	1500	23P1FB150B50BPCDX6020
160	50	135x110	105x80	13.5x11	57	148.5	205	1500	23P1FB160B50BPCDX6020
200	50	135x110	105x80	13.5x11	65	148.5	245	1500	23P1FB200B50BPCDX6020
250	50	135x110	105x80	13.5x11	80	148.5	305	1500	23P1FB250B50BPCDX6020

Swivel Castor With Directional Lock

								Order number
100	50	135x110	105x80	13.5x11	42	148	1500	23P1DB100B50BPCDX6020
125	50	135x110	105x80	13.5x11	50	170	1500	23P1DB125B50BPCDX6020
150	50	135x110	105x80	13.5x11	57	200	1500	23P1DB150B50BPCDX6020
160	50	135x110	105x80	13.5x11	57	205	1500	23P1DB160B50BPCDX6020
200	50	135x110	105x80	13.5x11	65	245	1500	23P1DB200B50BPCDX6020
250	50	135x110	105x80	13.5x11	80	305	1500	23P1DB200B50BPCDX6020